This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

+ *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.

+ *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.

+ *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.

+ *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at `http://books.google.com/`

LANE MEDICAL LIBRARY STANFORD
N33 .K43 1877 STOR
The tonic treatment of syphilis.
24503323868

TREATMENT OF SYPHILIS

—

KEYES.

N33
K43
1877

1 00
m/e

LANE
MEDICAL

LIBRARY

LEVI COOPER LANE FUND

THE

TONIC TREATMENT

LANE LIBRARY

OF SYPHILIS.

BY

E. L. KEYES, A. M., M. D.,

ADJUNCT PROFESSOR OF SURGERY AND PROFESSOR OF DERMATOLOGY IN THE BELLEVUE HOSPITAL MEDICAL COLLEGE; SURGEON TO THE BELLEVUE HOSPITAL; CONSULTING SURGEON TO THE CHARITY HOSPITAL; CONSULTING DERMATOLOGIST TO THE BELLEVUE BUREAU OF OUT-DOOR RELIEF, ETC.

NEW YORK:
D. APPLETON AND COMPANY,
549 & 551 BROADWAY.
1877.

LANE LIBRARY

COPYRIGHT BY D. APPLETON AND COMPANY, 1877.

W 33
K 43
1 877

PREFACE.

My studies in syphilitic blood have yielded results at once so gratifying to me, and so convincing as to the tonic influence of minute doses of mercury, that I feel impelled to lay this brief treatise before the medical public in support of a continuous treatment of syphilis by small (tonic) doses of mercury. I believe that a general trial of the method will, in the long-run, vindicate its excellence.

I have made free use of facts which I had already published in an article upon "The Effect of Small Doses of Mercury," etc., in the *American Journal of Medical Sciences*, January, 1876; and of other facts used in constructing an argument upon the treatment of syphilis for an essay which I read before the Section on Dermatology and Syphilis, in the International Congress at Philadelphia, in September, 1876.

All the local measures suggested in Chapter

III. have been subjected to repeated tests by me in the venereal wards of the Charity Hospital, as well as in private practice.

In my studies, clinical and experimental, I have received valuable assistance from my friend Dr. L. A. Stimson, and from Dr. Dinslow, of the House Staff of the Charity Hospital.

E. L. KEYES.

210 MADISON AVENUE, NEW YORK, *January*, 1877.

CONTENTS.

CHAPTER I.

GENERAL TREATMENT OF SYPHILIS.

A Rational Treatment of Syphilis requires Stronger Support than Simple Statistics.—All Cases, light as well as severe, require Continued General Treatment, since Cases commencing mildly may become severe, and since the General Treatment proposed is tonic to the Individual. —Proof of the Tonic Action of Small Doses of Mercury: *rational*, from Clinical Experience and the General Sanction by the Profession, of the Use of Minute Doses of Mercury as an Alterative in Chronic Disease; *scientific*, from Actual Blood counting with the Hématimètre and Experiments upon Animals.—Description of the Hématimètre, the Method of using it, Fluid to be employed, etc.—Effect of Mercury and of the Iodides upon the Blood as shown by the Hématimètre.—Proof that the Mercury controls the Symptoms of Syphilis . 7

CHAPTER II.

DETAILS OF GENERAL TREATMENT.

When to commence General Treatment.—Details of the Continuous Tonic Treatment by Mercury.—The Tonic Dose; the Full Dose; the Reserve Dose.—The Duration of General Treatment.—Inunction; Subcutaneous Injection; Mercurial Vapor-Bath.—Treatment of Salivation.—Preparations of Iodine and their Use in Syphilis.—Mixed Treatment.—Limit to the Dose of the Iodides.—Duration of Treatment by Iodine.—Other Means used in General Treatment: the Woods, Zittman's Decoction, Syphilization, Hot Springs of Arkansas.—Treatment of Pregnant Women.—Treatment of Inherited Disease 31

CHAPTER III.

THE LOCAL TREATMENT OF SYPHILIS, AND THE ESPECIAL MEANS ADAPTED TO SPECIAL LESIONS.

Local Treatment of Chancre. — Of Syphilitic Phagedena, of Bubo. — Of Lesions of Mucous Membranes.—Of Cutaneous Lesions.—Of Lesions of the Eye, the Ear, of Muscles, Joints, Bones.—Visceral and Nervous Syphilis 66

SYPHILIS.

CHAPTER I.

GENERAL TREATMENT OF SYPHILIS.

A Rational Treatment of Syphilis requires Stronger Support than Simple Statistics.—All Cases, light as well as severe, require Continued General Treatment, since Cases commencing mildly may become severe, and since the General Treatment proposed is tonic to the Individual.—Proof of the Tonic Action of Small Doses of Mercury: *rational*, from Clinical Experience and the General Sanction by the Profession, of the Use of Minute Doses of Mercury as an Alterative in Chronic Disease; *scientific*, from Actual Blood counting with the Hématimètre and Experiments upon Animals.—Description of the Hématimètre, the Method of using it, Fluid to be employed, etc.—Effect of Mercury and of the Iodides upon the Blood as shown by the Hématimètre.—Proof that the Mercury controls the Symptoms of Syphilis.

A RATIONAL treatment of syphilis must rest upon a surer foundation than the mere statement of its value made by him who employs it. Such a statement has been made again and again, by different people employing the most varied means against the same evil; and, with apparent justification, for it is well known that a majority of the most visible lesions of syphilis (the cutaneous efflorescences) tend to subside spontaneously, and thus, as Fournier happily expresses it, to afford a triumph to every mode of treatment.

There still exist ardent advocates of syphilization,

of cure by the use of decoctions of woods and roots, of cure by the force of Nature (expectation) in mild cases, of cures by purgation and diuretics, and sweating and tonics. I shall say but little about these methods. Many of the cases treated by them undoubtedly get well; but it is equally true that many of them do not, as the instances we occasionally encounter in this country, where one of these methods has been used, go to show. Furthermore, these methods are, all of them, absolutely theoretical — without a pretense of firm foundation in physiological fact. They are essentially empirical, and cannot claim serious attention as rivals to a method based upon the tripod of physiological experiment, inductive reasoning, and clinical observation. Such a method I have been striving for; with what success the profession at large must judge.

On the other hand, amid the great body of practitioners who use mercury and the iodides, the most varied views concerning the proper method of employing these powerful drugs may be found. Nothing like uniformity of opinion exists anywhere. One attempts to produce salivation quickly, another slowly; another to give as much mercury as his patient will hold without becoming salivated. One gives mercury for a very short time, another for a very long time, another in repeated interrupted courses; the courses either coinciding with the outcrop of symptoms, or established without regard to them. The majority use mercury only during the secondary period of the disease, depending upon the iodides later; others commence with

the iodides, then take up mercury, and finish with the iodides; finally, some use the iodides throughout, disbelieving in mercury: and so on to the end of the chapter, each advocate of any particular plan believing that his method is the very best of all, and triumphantly referring to his cases (many or few) in justification of his belief.

Is, then, success in the treatment of so chronic and so serious a disease as syphilis the result of chance? Is it indifferent what kind of treatment a syphilitic patient gets? Is it Nature that cures the patient and not the medicine, that so many honest men claim equally good results from methods so radically different?

And what is the justification of all these differing, honest, and ardent advocates? It is the same; that their cases get well, and that a large proportion of them do not suffer relapse. And this universal claim is always based simply upon a certain number of cases.

How, then, shall we reach the truth? Surely all these theories cannot be equally correct, since they differ so much. Truth is absolute and unique, and, if black be black, it is not white, nor even gray.

I have made an earnest effort to solve the problem of the best treatment of syphilis, and I trust I have succeeded, as far as the general treatment is concerned. As to the local measures of treating the lesions, I believe there is still much room for improvement.

I shall first consider the general treatment of syphilis, and then the methods applicable to special types of disease and the local treatment of lesions.

GENERAL TREATMENT.

By general treatment of syphilis I mean such a course as seems best calculated to eradicate the disease, or, at least, to conduct the patient safely through it—a catholic treatment to be followed by all patients, at all times, and everywhere—with some exceptions to be noted.

Before laying down and defending such a course, it is well to inquire whether it is necessary, or even advisable, to subject all cases of syphilis to the same treatment—whether the treatment itself would not sometimes be apt to occasion more harm than a mild attack of the disease left to itself.

On these points I think there can be no doubt, for the double reason that the general treatment I have to propose is in itself tonic, even to a patient in health, much more so when he is syphilitic (as I shall show); and because a case commencing mildly does not necessarily continue to be mild, and may turn out to be a very severe type of disease in later life.

It is a mere exercise of common-sense, applied to clinical observation, to infer that, if a case of syphilis commences mildly, it is more apt to continue mild and be a light case than one which commences severely, and the testimony of most observers has borne out the accuracy of this conclusion. Lancereaux gives his adhesion to it. Diday has gone so far as to formulate a law which he has taught for many years past, and confirmed by new assertions in his last production,[1] that

[1] Diday and Doyon, "Thérapeutique des maladies vénériennes," etc., Paris, 1876, p. 254.

all cases of syphilis commencing mildly (about two-thirds of all) need no mercury, and are better without it.

Indeed, the general notion throughout the profession is that mercury is bad; that is is necessarily harmful, no matter how it is used; and that its employment in the treatment of syphilis is only to be tolerated because the mercury will control the syphilis, and do less harm than the syphilis would have done if unchecked. Hence the physician treats symptoms, and, when they disappear, he tells the patient he is cured and lets him go, stopping treatment. Other lesions appear; they go by the name of relapse, and receive a certain modicum more of treatment, and so on.

Now, if it can be shown, as I hold I have shown, that mercury given in a proper manner is not harmful, but a tonic in health or in disease, provided it can be digested, this demonstration at once establishes the fact that it can do no harm to treat mild cases of syphilis by mercury. And if, on the other hand, it appears that we have no positive means of prognosis, and that certain of the cases of syphilis commencing mildly do turn out in the end to be severe, then it becomes evident that it is wise to treat each and every case from the start by such means as shall have proved themselves competent to hold the disease in check, and at the same time to improve the general condition of the patient, and to maintain him in health during their use.

In my report at Philadelphia to the International Medical Congress in September, 1876, I brought for-

ward upon this head a number of cases to uphold the proposition that a mild beginning in syphilis, untreated or treated in any manner, is not a guarantee that the future course of the malady will be a mild one. I might reproduce those cases here, or cite other analogous ones, but it is unnecessary to occupy space with more proof when enough is at hand.

The proposition is: Some cases of syphilis commencing mildly and treated by any of the ordinary methods, or not treated at all, go badly, and this the cases brought forward in my paper clearly proved. They were all mild cases, and were examples of an early treatment by expectation, by cathartics, by diuretics (balsams), by mercury for a short time in large doses, for a short time in small doses, for a year in fair doses, by homœopathy, by iodide of potassium from the first —yet each and all of them, commencing mildly, became very severe cases of disease.

Fournier has recently recorded forty-seven cases of cerebral syphilis, in only two of which did the disease show any virulence in type at first.

This point, then, must be granted, that syphilis is treacherous and always severe, and that a mild beginning cannot be accepted by the physician as a certain pledge that the malady will continue mild throughout and disappear early.

It remains to show how mercury can be used so that its effect may be tonic and beneficial to the individual taking it; and, finally, that mercury is antidotal to the syphilitic virus in so far as to cause its symptoms

to yield. These points being proved, it becomes very simple logically to make out a course of general treatment which shall be beneficial in all cases.

BRIEF ARGUMENT IN PROOF OF THE TONIC INFLUENCE OF MERCURY.

To determine the influence of mercury, it is necessary to study its effect in small and in large doses upon animals and men—upon the latter, both in health and disease. This I have already endeavored to do in the paper on the "Treatment of Syphilis," already referred to; and in a paper on the "Effect of Small Doses of Mercury," etc., which appeared in the *American Journal of the Medical Sciences*, January, 1876. To these two articles I must refer for many of the steps which have led up to the conclusions now to be advanced.

Mercury, it is well known, has long been considered as an alterative. Alterative action has been variously explained, and Billings[1] came very near the truth in intimating that the alterative effect of mercury was a "tonic" action upon the tissues; but he does not explain his words, or show how or in what mercury is tonic.

The alterative, consisting of a minute dose of bichloride of mercury in compound tincture of bark, which Astley Cooper praised so highly for its efficacy in chronic strumous complaints, and which is largely in use among the profession at the present day, is a monument to the tonic influence of mercury. Its use has

[1] "First Principles of Medicine," fifth edition, 1849, p. 102.

been empirical; its action has been styled alterative; its power of improving the quality of the blood, by increasing the number of its red blood-cells, has not been recognized; but its value as a tonic is proved by the fact that it has long been used, and still is used, with advantage in cases of chronic debilitating disease.

All the older members of the profession in the country whom I have consulted, by word of mouth or by letter, have confessed to a general belief in the value of minute doses of mercury as an alterative in chronic disease. They state that they have received the faith from their preceptors, and have practised upon it without investigating the why or the wherefore of the action of the drug.

Two (at least) prominent authorities in lung-disease, in New York, have used minute doses of mercury, long continued, with advantage in chronic pulmonary disease. The late Valentine Mott was loud in its praises as an "alterative" for strumous children.

Again, I may cite the remedy so long in use among the profession in New York (a minute dose of bichloride of mercury in tincture of iron) as a remedy in Bright's disease—and with some advantage in many cases. This action was also believed to be alterative.

To me the word alterative was always objectionable, because I could not understand it. I believed mercury to be beneficial in minute doses, but it was only while counting with the hématimètre the red cells in the blood of individuals, healthy and syphilitic, who were taking minute doses of mercury, that I appreciated its

real import: alterative, when applied to small doses of mercury, means tonic, and tonic means an increase in the number of the red blood-cells.

Liègeois, in 1869, announced in the *Gazette des Hôpitaux*, as the result of experiment, that small doses of corrosive sublimate administered to men or to animals caused them to increase in weight; larger doses were debilitating, still larger ones (to animals) were fatal.

This statement I was at that time prepared to receive, since I had already several years of experience in the long-continued use of minute doses of mercury in syphilis, and had watched many patients slowly improve in weight and strength while under this treatment, in spite of their syphilitic condition. I felt at that time, however, inclined to ascribe my patients' improvement to the counteracting influence of mercury upon the syphilitic virus, and not to an essential tonic influence of the drug.

J. Hughes Bennett, in 1874, in his Report to the Edinburgh Committee of the British Medical Association (second edition), on the action of mercury, etc., gives fourteen carefully-tabulated records of experiments made upon dogs by giving them different forms of mercury in varied doses. The effect of minute doses was not the object of the committee's study, yet incidentally a close inspection of the tables yields the following important information, of which the committee did not take note:

Corrosive sublimate, blue-pill, or calomel, was given,

but whatever mercurial was used the dog invariably lost weight under large doses, whether the same were continued during a short or a long period. Only twice in the report is any gain in the weight of a dog noted. In both comparatively small doses of corrosive sublimate were employed (one-sixth grain daily to one-third grain twice a day), and when the latter large dose was continued for more than forty-eight hours, in one case, the dog lost about six pounds, while the same dog, suffering from an artificial fistula in the abdomen, had increased in weight over three ounces in four days while taking one-sixth grain corrosive sublimate twice a day, and had held what he gained until the dose was increased (p. 51). The other dog took about four grains of corrosive sublimate in twelve days, and gained about the same amount. All the other dogs received larger doses of mercury, and in each of them where the weight was taken there was a loss.

In 1874 Wilbouchewitch, making use of the microscope and a special instrument for blood-counting, studied the blood of syphilitic hospital-patients who were taking mercury. He concluded from his observations that small doses of mercury at first increased the number of the red cells in the blood, but, if long continued, produced the same results as large doses in animals, namely, a diminution of the red cells, diarrhœa, etc.

It is well known, also, that Grassi and Ricord by chemical methods determined that the use of mercury early in syphilis diminished the amount of the red cells relatively to the whole mass of the blood.

Here, then, was the problem how to reconcile such seemingly conflicting results arrived at from the same premises.

The solution became easy when it was recognized that the premises were not the same. Grassi did not even pretend to use small doses of mercury, but pushed the drug to its toxic effect, and then found that it was debilitating, a result which all must admit.

Wilbouchewitch also overdosed his patients, though to a less degree, and he does not seem to be aware of it, although his patients lost weight and got diarrhœa. Of his ten cases five got over one-half a grain of corrosive sublimate a day, the rest a grain and a half of protiodide—surely in neither case a very small dose for a patient on hospital-diet.

In my own experiments with the hématimètre,[1] using minute doses of mercury upon healthy and upon syphilitic individuals, I think I have proved beyond question that mercury in minute doses is tonic in all cases where it can be digested, in syphilis or out of it, continued for a short or a long (over three years) time.

This method of proof is absolute and scientific. If the number of red cells in the blood increases under the use of a given remedy, that remedy is a tonic. Here is no opportunity to distort facts, no chance for argumentative subterfuge. The instrument may be used, and the results verified or disproved by any one. I consider a wide-spread knowledge of the instrument

[1] Published in the article already referred to.

and the method of its use of so much value that I reproduce its description here.

The best instrument for blood-counting is the hématimètre of Hayem and Nachet.[1] Fig. 1 represents all its



Fig. 1.

parts except the microscope. The description and plates are taken from the article already referred to.

a is a graduated glass pipette, each line on the tube marking off a capacity of 100 cubic millimetres, 5 D therefore indicates 500 cubic mm.

b is a smaller capillary pipette, graduated to 2, 2½, and 5 cubic mm.; the operator takes the rubber tube *c* into his mouth to facilitate the entrance of blood into the pipette by suction.

[1] The apparatus is made by Nachet, of Paris, and can be easily imported on order.

d is a glass slide, upon which is cemented a glass cell with a circular opening 1 centimetre in diameter, the depth of the cell being exactly $\frac{1}{5}$ mm.; *e*, the covering glass to fit over the cell. A drop of fluid is represented in the cell.

f is a small glass cup to receive the blood and artificial serum for mixing. It fits into a brass stand *g*, to insure firmness; *h* is a glass rod with which to mix the fluids.

The apparatus is completed by a microscope having a special eye-piece (No. 2 Nachet) containing a quadrilateral micrometer, as seen projected upon the stage (Fig. 2).

The large square of the micrometer is further di-



FIG. 2.

vided into sixteen smaller squares, while each smaller square contains a line drawn half-way across it to facilitate the counting.

MANNER OF USING THE INSTRUMENT.

The eye-piece above described being adjusted to a microscope, the draw-tube is so arranged that for a given objective (No. 2 Nachet is suitable) a side of the square micrometer in the eye-piece measures exactly $\frac{1}{5}$ mm. upon a stage micrometer. The depth to which the draw-tube has been pushed in is then scratched upon the tube, so as to be easily arranged in a moment, and the microscope is ready for use.

I have always adopted as a standard of dilution 1 to 250, as this scatters the corpuscles sufficiently to make them easy to count. The actual process is as follows:

The pipette *a* is filled to the mark 5 D with the diluting fluid, which is at once emptied into the glass cup *f*. The pulp of the finger of the patient, whose blood is to be tested, should be deeply pierced with a glover's needle having a triangular cutting-point. The blood should not be driven forward into the finger by pressure before the puncture. A string should not be tied around the finger. A round, sharp needle should not be used. Repeated experiments, with needles and knives upon myself, which lack of space forbids my reproducing here, have proved to me that the above suggestions must be heeded in order to be certain of always obtaining uniform specimens of capillary blood. The triangular cutting-needle does away with Hayem's objections to puncture,[1] and is a less formidable instrument than the knife in the eyes of the patient.

[1] "De la Numération des Globules du Sang," (*Gaz. Hebd.*, May 7, 1875, p. 291).

After piercing the pulp of the finger, quick, firm pressure down the finger will force out a large drop from the puncture. This must be sucked into the capillary pipette without delay, lest it coagulate. When the pipette is full to the mark 2, its point should be rapidly wiped clean of any blood adhering on the outside, and the contents at once blown into the artificial serum in the cup *f*. A little suction, back and forth, clears the tube of any blood-corpuscles which may have adhered to the glass within. Both tubes should be carefully washed before being put away.

The mixture should now be thoroughly agitated with the glass rod, and, before it has time to settle, a drop is placed in the middle of the cell on the slide *d*, care being taken that the drop is not large enough to touch any part of the circumference of the cell (Fig. 1, *d*). The covering-glass, *e*, should be immediately placed upon the cell. Should the drop be too large, so that, when the thin glass is adjusted, it spreads out enough to touch the circumference of the cell and to be partly sucked up beneath the covering-glass and top of the cell, the latter must be wiped and a new drop placed within it. Finally, a small drop of water or saliva is applied to the edge of the covering-glass, under which it circulates around the top of the cell, serving to hold the cover in place and prevent the evaporation of any part of the drop within.

The slide thus prepared is placed under the microscope. In a few moments the counting may begin; the blood-corpuscles will have all settled to the bottom of

the cell, and a picture similar to that shown in Fig. 2 will be seen on looking through the microscope. The counting should not commence until all the corpuscles are upon the same plane and can all be focused together. It is better to count each of the sixteen squares and write down its number separately, so that in counting the square beneath it, should there be any doubt about counting a given corpuscle lying upon the line, a glance at the number recorded for the square above may remove all doubt. Many corpuscles will be found lying upon the outside lines bounding the large square. I have adopted the rule of rejecting all those lying upon the upper and right-hand outside lines (of the large square) and counting all those lying upon the lower and left-hand outside lines.

After having thus obtained the number of red corpuscles situated within the large square, it becomes easy by a simple equation to find the number in a cubic millimetre. A single count, however, exposes to sources of error, and, in order to approach more nearly to exactness, I have uniformly counted the number contained in the large square in five different portions of the field (sometimes ten), and have taken a mean of the whole number of counts as the standard.

The computation is as follows: The glass cell on the slide is $\frac{1}{5}$ mm. deep. The eye-piece micrometer marks off $\frac{1}{5}$ mm. square, therefore the count of red corpuscles (or white, as the case may be) must indicate the number contained (in the dilution used) in $\frac{1}{5}$ mm. cube. But $\frac{1}{5}$ mm. cube is $\frac{1}{125}$th of a cubic mm., there-

fore the number counted must be multiplied by 125; and the blood was diluted by adding 250 parts of fluid to one of blood (2 cubic mm. to 500 cubic mm.), therefore the product above obtained must be again multiplied by 251, to get the number of corpuscles in a cubic mm. of pure blood. Instead of multiplying twice, a single multiplication by the product of 125×251 (31,375) will give the same result.

Letting $x =$ the mean of 5 counts; the equation then is simply: The number of red corpuscles in a cubic mm. of blood $= x \times 31{,}375$.

The fluid which I have found to possess the best qualities as an artificial serum is urine, prepared as follows:

Take of urine, neutral or slightly alkaline, sp. gr. 1020, a sufficient quantity, filtered. Add gr. v of corrosive sublimate in powder for each ounce of urine. This will throw down dense clouds of amorphous urates, so fine that ordinary filter-paper will not remove them. After standing, the urates deposit, and the clear fluid above may be easily decanted. Reduce with water to sp. gr. 1020.

The result is a limpid, sparkling, acid fluid which remains clear, no matter how often contaminated with the pipette, and does not seem to allow of the growth of any form of vegetation. It makes a perfect mixture with blood. It bleaches the red corpuscles quickly, and very slightly, but uniformly, increases their size. They retain, however, their flattened, bi-concave, disk-like shape, and do not become dissolved after standing more than twenty-four hours.

The choice of the fluid is the result of a great number of tentative experiments. It possesses all the necessary qualities. It does not putrefy, bacteria cannot develop in it, nor round-celled vegetable growths—the presence of either of which is fatal to the usefulness of a diluting fluid.

With this instrument up to November, 1875, I had counted more than five hundred times the blood of twenty-one syphilitic and six healthy persons. From these my report was made out. The conclusions reached at that time have been repeatedly verified since by numerous examinations of the blood of other persons. I quote the conclusions in full:

1. 5,000,000 red blood-corpuscles in the cubic mm. is a full, high average for the adult healthy male. Anæmia very rarely goes below 3,000,000; fine conditions of physical health reach above 6,000,000. In ordinary seasons, in the city, 4,500,000 would indicate a fair state of health.

2. Mercury decreases the number of the red cells when given in excess, especially in hospitals (Wilbouchewitch).

3. Syphilis diminishes the number of red corpuscles below the healthy standard.

4. Mercury in small doses continued for a short or long period in syphilis, alone or with the iodide of potassium, increases the number of red corpuscles in the blood, and maintains a high standard of the same.

5. Mercury in small doses acts as a tonic upon healthy animals, increasing their weight (Liègeois, Ben-

nett's report, above referred to). In larger doses it is debilitating or fatal.

6. Mercury in small doses is a tonic (for a time at least, as long as the experiments lasted) to individuals in fair health, not syphilitic. In such individuals, it increases the number of the red blood-corpuscles.

Counting the white corpuscles I have found unsatisfactory. Their number is constantly varying from causes which have nothing to do with a prolonged chronic disease. A four-per-cent. solution in water of chloral tinged to a rich bluish purple by methyl aniline, makes it very easy to count them. The red cells are mainly dissolved or heaped into transparent clusters by such a solution, while the white cells remain unaltered and of a rich blue tint. I used a larger field than $\frac{1}{5}$ mm. and made many counts of white cells, but recognized so many sources of error that I gave up the search as unreliable and unprofitable.

I have also studied the effect of the administration of iodide of potassium[1] upon the blood in syphilis, early and late in the disease.

The iodides certainly are tonic, and increase the number of the red cells. In syphilis they do this to a greater degree than mercury does. During the investigation, however, it turned out that while iodide of potassium given early in syphilis increases the number of the red cells more rapidly than does mercury given under similar circumstances (for the increase is apt to

[1] And received in all these researches great assistance from my friend Dr. L. A. Stimson.

be light at first when the depressing influence of syphilis begins to blight the patient's vitality), yet the syphilitic symptoms appear none the less, and are not so much modified and delayed as they are by the seemingly less tonic influence of mercury.

Hence it appears that Grassi was only measurably wrong, and wrong by omission, for mercury (in excess) indeed does diminish the number of the red cells in the blood of syphilitics, both early and late in the disease, and iodide of potassium in moderation or in excess (within limits) does increase the number of the red cells early and late in syphilis; but the hématimètre shows, what Grassi did not discover, that mercury in minute doses in early syphilis as well as in late syphilis and in health, increases the number of the red blood-cells, and maintains a high average of the same.

Having now shown that mercury is tonic, and not in itself harmful to the individual, even where it is taken continually for long periods,[1] it remains only to prove that mercury is at all useful in syphilis, and at what times.

That mercury is useful in controlling the symptoms of syphilis I think is conceded by every one. Nearly all physicians employ it for this purpose, and daily clinical experience justifies the conclusion that mercury is antagonistic to many (it might even be said to all) symptoms of the disease; for the reports of cases where the most varied lesions, even gummata, have yielded to its influence, abound in the journals of the day. Over

[1] In two cases in my report the period exceeded three years.

gummata mercury has the least power, the different preparations of iodine being unquestionably of greater value in this field.

Mercury, indeed, needs hardly to be defended as being best able to overcome the symptoms of syphilis, for even the enemies of the drug allow this; their claim being that the mercury, although subduing the symptoms, harms the patient, produces tertiary disease, etc.

Not only has it been demonstrated by clinical experience that mercury, given by the mouth, controls syphilitic symptoms, but its power, when applied locally, is equally evident, as has been shown by Hebra, Ch. Hunter, Koebner, Monti, and others, by the local effect of the subcutaneous injections of mercury. The advantage of local mercurial dressings of syphilitic lesions has been long established.

That mercury is useful late in syphilis, as well as early, is proved by the well-known value of the mercurial vapor-bath for many forms of ulcerative lesion, occurring late in the disease; by those cases of severe nervous syphilis where the symptoms are reported to yield when the gums become touched; by certain cases of tertiary disease, where mercury cures after iodide of potassium has failed, of which I have seen and reported examples.

Mercury certainly carries the palm in inherited syphilis, the mixed symptoms of this form of disease yielding more certainly to mercurial inunction, as a rule, than to any other means.

THE IODIDES.

The preparations of iodine are of value—a certain value, doubtless, as a tonic—throughout, in the treatment of syphilis. The number of the red blood-cells increases under their administration; but as anti-syphilitics proper the preparations of iodine have very little worth—they do not keep off the earlier eruptions, or prevent relapse. In cases of gummy tumor, on the other hand, wherever situated, for all sorts of brain-lesions, for all kinds of nervous symptoms, all visceral changes where the parenchyma of organs is involved, for many forms of ulcers and inveterate cutaneous lesions, the preparations of iodine hold the very first rank in value, and their skillful use yields marvelous results.

In certain parenchymatous lesions of the deeper organs (one of the forms of syphilitic orchitis) and many chronic skin-affections, a combination of mercury with iodine, in what is known as the mixed treatment, gives the best results.

My object, in what has been written, has been to show that—1. Mercury is generally recognized as capable of overcoming the symptoms of syphilis and postponing their appearance; 2. Mercury in minute doses, long continued, is tonic.

Before going into a detail of the steps of treatment I have only to add that I have now for many years carried out the plan of treating syphilis by the long-continued, unremitting use of small doses of mercury.

This I did, before I ever heard of the hématimètre, under the instruction and advice of my preceptor and partner, Prof. Van Buren. Three years ago we jointly published our views on this subject.[1] Since then I have been at work upon the problem, and think I have established a firm scientific justification of the treatment, which had before very amply justified itself clinically. Of late years I have been using smaller and smaller doses of mercury, and continuing their use for longer and longer periods, and feel satisfied that this has been a step in the right direction. I have also been using the iodides less, except in certain selected cases, where I believe they must be pushed unsparingly.

My experience leads me to state that syphilis, in private practice, is a very manageable disease; that a patient rarely has more than one full, general eruption (the first), during which his treatment was commenced. That subsequent lesions are of a trifling character for the most part, and tertiary symptoms very rare. I rarely see iritis, and not often any appreciable loss of the hair. Mucous patches about the mouth and tongue, and throat-symptoms, are often obstinate, and their duration protracted. I am now in the habit of keeping patients two and a half or three years or more under treatment continuously, and then I see them marry and produce healthy children.

The bad cases of syphilis I meet have generally been overtreated or undertreated early in the disease,

[1] Van Buren and Keyes's "Genito-urinary Diseases, including Syphilis." New York: D. Appleton & Co., 1874.

and have not pursued a regular systematic, continued course.

I think the method I shall now proceed to lay down in detail will succeed as well in the hands of others as it does in mine, provided it be carried out with conscientious exactness, and be persisted in with long-suffering patience by the physician as well as by the patient.

CHAPTER II.

DETAILS OF GENERAL TREATMENT.

When to commence General Treatment.—Details of the Continuous Tonic Treatment by Mercury.—The Tonic Dose; the Full Dose; the Reserve Dose.—The Duration of General Treatment.—Inunction; Subcutaneous Injection; Mercurial Vapor-Bath.—Treatment of Salivation.—Preparations of Iodine and their Use in Syphilis.—Mixed Treatment.—Limit to the Dose of the Iodides.—Duration of Treatment by Iodine.—Other Means used in General Treatment: the Woods, Zittman's Decoction, Syphilization, Hot Springs of Arkansas.—Treatment of Pregnant Women.—Treatment of Inherited Disease.

THE diagnosis of syphilis must be established beyond question before treatment is commenced. The general treatment should last during at least two years, and is not to be undertaken lightly. A chancre is not enough to convict a patient, even if it be single, very hard, of apparently long incubation, and attended by indurated, multiple inguinal ganglia, etc. In such a case, if confrontation establish the source of the contagion to have been true syphilis, treatment may be commenced, otherwise it is wiser and as well in the end for the patient to wait until the early eruption has come to confirm the diagnosis, and then to commence the administration of mercury. Meanwhile, if something must be done to satisfy the patient, a little iodide of potassium or sodium may be given, for this is tonic, can do no harm, may do a little good, and cannot prevent the appear-

ance of the first eruption, which will come to confirm the diagnosis if syphilis be present.

When the post-cervical or epitrochlear glands begin to indurate, or the early eruption begins to show,[1] then all temporizing may be abandoned, and the serious work of prolonged treatment honestly entered upon.

Any preparation of mercury may be used. I prefer the French granules of the protiodide (made by Garnier and Lamoureux) containing one centigramme each. These may be readily obtained all over the United States. They are convenient, do not alter by time or climate, and I find them much more reliable than the American preparations of the protiodide. They may be conveniently carried in the pocket, and taken after meals without exciting any notice.

If these sugar-coated granules are not to be had, the following will supply their place:

℞. Hydrargyri protiodidi, gr. xx.
Tragacanthæ, q. s.
Make into 120 small pills, one-sixth of a grain each.

In some irritable conditions of the intestine the protiodide disagrees, causing pain, diarrhœa, etc., even when given in minute doses; under such circumstances the following pills, which are very bland, may be substituted:

℞. Mas. hydrarg., gr. l.
Make into 100 pills.

[1] A few sulphur-baths would probably hasten its appearance.

Or, if the patient be anæmic, the following:

℞. Mas. hydrarg., Ferri sulph. exsic., ää gr. l.
Extr. gentian, q. s.
Make into 100 pills.

Or—

℞. Hydrarg. bichlorid., gr. j.
Ferri redact., gr. l.
Gum. tragacanth., Glycerini, } q. s.

Where the patient cannot or will not take pills, the following are good combinations to be given, largely diluted, after eating:

℞. Hydrarg. bichlorid., gr. j.
Tr. cinchon. co., Aquæ, ää ʒ iij.
M. Teaspoonful.

Or—

℞. Hydrarg. bichlorid., gr. j.
Tr. ferri sesquichlorid., ʒ iij.
Aquæ, *ad* ʒ vj.
M. Teaspoonful.

Or any other combination, solid or liquid, containing in each dose only a minute portion of mercury. Liquids are more difficult to manage, and are less convenient to use in the effort to find the patient's "dose," his "tonic dose," which cannot be predicted beforehand.

Having decided which of the above preparations to employ (each of them is to be managed in the same manner), the patient should in all cases be prepared, hygienically, for mercury.

He should be sent to the dentist, if necessary, to

have his mouth put in order and the tartar cleared from his teeth; tobacco in every form should be cut off, for nothing so conduces to persistent trouble in the mouth and throat as the use of tobacco. He should be impressed with the necessity of being very regular in all his habits, instructed in a rational diet, and told to avoid all indigestible food and much fruit, at least until his tonic dose is ascertained. He should avoid all depressing influences, physical or mental. Thus prepared, he is ready to commence treatment.

Supposing that the centigramme granule has been selected as the medicine to be used, the instructions to the patient are as follows:

Take one granule immediately after each meal (i. e., three times a day) during three days.

On the fourth day add one granule to the mid-day dose—taking one in the morning, two at noon, one at night. Continue this during three days.

Again, on the fourth day add one granule—two in the morning, one at noon, two at night. Continue this during three days.

Again, on the fourth day add one granule—two in the morning, noon, and night. Continue this for three days, and again on the fourth add a granule.[1]

Continue in this manner, being very careful as to food, drink, exposure, etc., until there is very positive evidence of irritation in the intestine, such as colicky

[1] If time presses, each third day instead of each fourth may be selected to increase the dose upon, or, what is better, a mercurial vapor-bath every other day, the internal dose being increased as usual.

pains, with positive diarrhœa, or until the gums begin to show signs of being lightly touched.

The daily amount now taken is known to be the patient's dose of the given preparation of mercury, beyond which he cannot go, without aid from opiates, and of which, if long maintained, the effect upon the general health will be certainly damaging.

This amount, whatever it may be, I call the patient's "FULL DOSE," in contradistinction to his "TONIC DOSE."

It is impossible to find what the full dose of a patient is, except by experiment. I have met patients whose full dose was three or four granules a day—and occasionally some one who did not seem to be able to take the protiodide of mercury at all—while other patients will take five granules at a dose three times a day, and sometimes even more, before the "full dose" is reached.

In finding the full dose, many days may be required, and, if the patient is already covered with a general spreading eruption when the treatment is commenced, he may not be willing to wait quietly for his full dose to be reached.

Under these circumstances, a mercurial vapor-bath may be administered (page 42) every other day, or inunction (page 39) practised daily, in addition to the internal treatment, which latter should be steadily pushed until the "full dose" is reached. This dose is now to be maintained while the adjuvant (bath or inunction) is dropped, after which it may be necessary

to go a little higher to reach the exact "full dose:" or the latter may be found after the baths or inunctions have quieted the eruption.

The "full dose" being ascertained, it may be continued by the aid of opiates and unirritating food until the eruption or the syphilitic symptoms, whatever they may be, have been overcome. It is not necessary to keep up the full dose for the treatment of mucous patches. The "tonic dose" and local treatment are more suitable for the management of these lesions.

As soon, then, as the active symptoms have yielded, the patient's dose is reduced one-half, and this half-dose, which will act as a tonic (I call it the "tonic dose"), is to be continued unceasingly day after day, month after month, waiting for new symptoms. Should such symptoms appear (there may be none whatever, except throat and mouth lesions), the half-dose held in reserve (I call it the "reserve dose") may be at once added to the "tonic dose," and the "full dose" continued until the symptoms yield, after which the "tonic dose" is to be again resumed; or, as in the first instance, the aid of inunction or the mercurial vapor-bath may be invoked to assist the "tonic dose" and dissipate the symptom.

The above is the essence of general treatment. Each case demands its own special study to decide what it may require besides the regular course. Tonics and change of air and variations in food, alterations in clothing, etc., may be called for in particular cases, and

nothing in the general course prevents the patient from receiving full attention in all these particulars. The general hygiene of the skin calls for especial care; bathing and dry frictions, etc., are serviceable. Should an indigestion come on during the course, or any acute intercurrent malady, all treatment may be suspended temporarily, without apparent detriment to the patient. A variation in the particular form of mercury employed during the course is not desirable, because it is impossible to decide exactly what the tonic dose of the new preparation is without another series of experiments, and the patient may be injured by the change.

In the treatment of syphilis it is hard to conceive a condition in which it is necessary to produce salivation. With the mercurial vapor-bath as an adjuvant to the internal treatment, the patient can be promptly brought to his point of tolerance as to mercury, and a more profound effect produced upon him by bringing him just up to where the mouth begins to show the mercury, than by producing positive salivation in the ordinary way.

In some cases, salivation undoubtedly is attended by a marked improvement in the symptoms, but it is questionable whether the same result might not have been attained by other means less harmful in themselves. The great fact is, as far as my experience goes, that patients treated from the first with small doses of mercury continuously, do not get into such serious conditions of severe or inveterate disease as to require harsh measures, with some very rare exceptions.

THE DURATION OF THE GENERAL TREATMENT.

I do not consider that a patient is safe in suspending his mild, continuous mercurial course until after at least two years. I generally insist upon two and a half years, and often upon three or more. I do not feel that justice has been done the patient until at least two good years of treatment lie behind him, and at least six months of entire exemption from any symptom due to syphilis—even the mucous patch.

It is impossible to hold all patients to this rigorous course, but the course is so mild, the patient so little inconvenienced by it, and his health usually so good while following it, that more are induced to follow it on the ground of common-sense alone than would seem at first sight probable. I have had patients ask me to allow them to continue the course after the two and a half years had expired, and they had long been free from any evidence of syphilis, because "they had never been so well before in their lives."

I must not be understood, however, to say that all patients get absolutely well by this treatment. On the contrary, many of them have occasional mild symptoms after their course has been suspended, especially in the mouth, if they smoke or chew tobacco. But the symptoms seem invariably to be quite mild, and to yield readily to a very short internal treatment, or to local measures alone. Serious later troubles—bone, nerve, and visceral lesions—are, I might almost say, actually unknown in those patients who have conscientiously followed the mild continuous treatment from the first.

INUNCTION.

Inunction is a valuable aid to general treatment. Its use is restricted to interrupted courses in the adult, for it is a dirty method at best, and it is hard to get clean people to follow it conscientiously for any prolonged period.

I use it mainly as an adjuvant to the general treatment, where I want to decidedly intensify the mercurial action for a time, for some special purpose, and desire to spare the stomach.

The absorptive power of the skin varies in different individuals, so that no fixed inunction-dose can be given. The irritability of the skin also varies greatly with the individual. The mercurial eczema (so called) is produced with great ease in some patients, while others will wear a patch of mercurial ointment in contact with the skin for weeks without having the integument even reddened thereby.

Inunction can be very well performed by the patient himself, if he be intelligent. I generally order a given quantity of the ointment or oleate, as the case may be, and instruct the druggist to put into a separate box or bottle the quantity prescribed as proper for a single inunction, as a gauge for the patient to go by. I instruct the patient to take from his large box or bottle a portion about as great as that specially measured out for him, keeping the test-dose to measure the others by. The patient should be instructed to use the ends of the fingers, or even the whole hand, in rubbing in the

required amount of ointment. One inunction a day is generally ample. The spot anointed should be patiently rubbed during from twenty minutes to half an hour, then wrapped up in dry flannel without being washed for twenty-four hours, after which the spot should be washed clean with soap and warm water. A different spot is chosen for inunction each night. If a prompt effect is desired, two inunctions may be practised daily. When ordinary mercurial ointment is used, the flexuses of the joints where the skin is soft are preferred. In such a case the axilla, elbow, groin, and popliteal region, first of one, and then of the other side, are employed (if the dose be small in both at a time), so that each region may have several days' rest between the different inunctions. The oleate of mercury may be rubbed over any part of the body indifferently, separate spots being, of course, selected for each inunction.

The preparations best adapted for inunction are mercurial ointment and the oleates of mercury. The former is cheap, dirty, and more irritating to the skin than the latter, but its cheapness renders it valuable. The dose for a single inunction is about one drachm. A little less might be used to commence with, and the dose afterward increased at will, watching the effect. The process of rubbing it in is rather laborious.

The oleate of mercury is the peroxide of mercury, chemically combined with oleic acid. It is found in the shops of three strengths, but may be diluted at will. The strengths are twenty, ten, and five per cent. The last resembles linseed-oil; the first is thick, pasty, yel-

lowish. The disagreeable odor may be overcome by adding a few drops of oil of roses.

The integument of most people will bear the daily inunction of five per cent. oleate upon the same spot without showing any irritation. The twenty-per-cent. oleate does irritate the skin. It seems, however, to be much more readily absorbed than mercurial ointment, and in smaller quantities to produce a greater effect. The twenty-per-cent. oleate is preferable for inunction in the adult, using the same precautions as are taken with ordinary mercurial ointment. It is well to commence with half a drachm, and increase.

Should mercurial eczema occur, the spot involved should be carefully washed to remove all mercury, and afterward dressed with some soothing ointment (*diachylon*, oxide of zinc, or vaseline) until the irritation subsides; this may require considerable time.

A modified method of inunction, which is much more convenient than the process above described, but not so prompt generally or sure in its action, is to spread thickly, upon a broad band of hard, thick muslin, a patch of about the size of the hand of mercurial ointment, or twenty-per-cent. oleate. A piece of oil-silk covers the outside of the bandage, and the latter is wrapped around the arm, forearm, thigh, leg, or waist, attached to the clothing, so as to remain in place, and is left in position a week or more, if the skin will tolerate it. The patch must be raised daily, and the integument inspected. Itching at the edge of the patch, or

redness beneath it, means that the skin is beginning to get into trouble, and the bandage must be removed to another place, while the skin is washed and dusted with starch-powder. Sturgis, of New York, recommends one of the older methods—rubbing the ointment upon the soles of the feet. Detmold uses a solution of corrosive sublimate, one grain to the ounce, and has the patient rub on a tablespoonful of this nightly. This method is cleanly and, doubtless, effective; but the danger of accident, if such a powerful drug were employed in large quantities generally, is too obvious to require comment. The same remarks apply to the full bath of watery solution of corrosive sublimate.

The introduction of mercurial ointment by suppository into the rectum, or the injection of mercurial solutions into the rectum, is rarely called for. It is merely mentioned as another channel by which mercury may be introduced into the blood.

Subcutaneous injections of different solutions of mercury require too much attention on the part of the physician, and too much machinery, to commend themselves for general adoption. The method is prompt and effective, as well as accurate in the dosage of the mercury; but the sore spots that follow, the possibility of abscess, the gradually-increasing dread of the slight puncture with the needle of the syringe, which the patient feels, are enough to render the method unadvisable in the majority of cases.

MERCURIAL VAPOR-BATH.

Mercury enters the body more kindly and more promptly in the form of vapor than in any other manner. If a prompt and positive effect of the drug is needed, especially when the stomach is delicate, nothing can take its place. The indications for its use are conditions of outcropping eruption, ulcerated and pustular lesions whether recent or long-standing, the sudden appearance of serious symptoms threatening important organs or functions, and all conditions requiring mercury in anything beyond the "tonic dose," when the patient is debilitated, anæmic, or possessed of an irritable stomach.

In cities where there is a respectable medical bathing-establishment, when the patient is in a condition to walk out, the best plan is to send him to take his bath as often as may be necessary, meanwhile continuing his internal treatment. The best form of bath in these establishments is the following:

Preferably about two hours after a meal the patient undresses, and enters a small closed chamber, provided with a seat, for the sake of comfort, and a small, curtained side-window for outside air, which he may breathe when he desires to do so. A small amount of steam is let into the chamber, enough to dampen the body (without inducing perspiration), and to raise the temperature of the air in the chamber to about 90° Fahr. Then the mercurial, which has been selected, is volatilized in the chamber, the patient breathing the fumes which come into contact with the whole body. The

entire bath should not occupy more than twenty minutes, and if any sensation of faintness or oppression comes on before that time, it is better to stop the bath at once. After the fumigation is over, the patient should be wrapped up in a blanket and lie down until he is thoroughly cooled off (a half-hour generally suffices), when he may dress, without any rubbing or drying, and go about his business. This I believe to be the best form of bath. The best substance to be volatilized I find to be the black oxide of mercury, commencing at one, and running rapidly up to a two-drachm dose or more. Calomel is often used. It is exceedingly efficacious, but has the disadvantage of being irritating to the fauces in some patients, while in others (a great majority) it does not produce this effect. When it is irritating, it causes violent paroxysms of coughing. These come on sometimes while the patient is inhaling the fumes, at others no immediate effect is produced, but afterward, perhaps after half an hour, a prolonged paroxysm of violent coughing may come on, which is sometimes quite distressing and difficult to control. In public bathing-establishments, instead of the closed chamber, there is sometimes a sort of large box, into which the patient enters, and (sitting) has the top closed in such a manner as to leave the head outside, the steam, etc., being arranged as in the closed chamber already described. These chambers are also used for sulphur-fumigations. In this form of bath, which some patients prefer, calomel may always be used, or cinnabar, which has long been employed in fumigation, as the

fumes do not reach the mouth and nose. The dose of calomel, or cinnabar, for such a bath, is one drachm or more; time, twenty minutes.

If a feeling of debility follows the bath, it should not be repeated for several days; but in urgent cases, and where they are well borne, the baths may be taken with advantage every other day, and in many cases I have given them daily with surprisingly good effect. They exert a marked influence, however, when given for a time at the rate of only two a week.

Where a public bath is inaccessible or objectionable to the patient, the process may be carried on without much trouble, and with the least possible expense, at home. The only special machinery required is a sheet of tin, with its edges bent down so that it forms a table, upon which the mercurial to be volatilized is placed. Beneath this a tin lamp, burning alcohol, completes the apparatus.



FIG. 8.

To take a bath, the patient sits naked upon a cane-bottomed chair. Two blankets are thrown around the patient and chair together, and are tucked snugly under the chin of the former. A pan of steaming, boiling

water is now placed under the chair. The steam from this in a couple of minutes moistens the skin sufficiently, and if the spirit-lamp be lighted, and the little tin table with its dose of mercury be placed in position over it, also under the chair, two minutes after the pan of water, the skin will be in condition for the mercurial fumes by the time the latter begin to be freely evolved. The patient sits quietly in this bath until the mercurial has been all volatilized (when the lamp may be removed), and for some minutes afterward, in all perhaps twenty minutes. Then, wrapping the inside blanket around him, he lies down and remains quiet until he is cool and ready for bed. Such a bath may be taken nightly or less often, as the necessities of the case and strength of the patient dictate. The effect of the bath may be enhanced by a little inhalation of the mercurial vapor. By so arranging the blankets that they may be opened slightly in front of the chest, the patient may take a whiff of the fumes when it pleases him. Calomel or cinnabar may be used, and, should their fumes prove irritating to the bronchial membranes, they need not be inhaled. Should they not prove irritating on one trial, they may be afterward inhaled with impunity.

The best substance to use in this form of bath is calomel. Black oxide of mercury does not volatilize readily enough by the heat of a spirit-lamp. Cinnabar is allowable, but smells badly. A lamp with one good-sized wick will volatilize from a tin table, of calomel, thirty grains in four and a half minutes; of cinnabar, thirty grains in six minutes.

The cinnabar-fumes are those of burning sulphur, and more apt to irritate the fauces than those of calomel.

The dose of calomel is from thirty grains up to a drachm and more. A larger dose of cinnabar may be used.

The mercurial bath is slow to salivate. It sometimes produces mercurial tremors without salivation. Its effect is prompt, though mild.

TREATMENT OF SALIVATION.

Salivation may occur by accident or design. To guard against it the teeth should be kept free of tartar (by the dentist). A soft tooth-brush should be often used with some alkaline (perhaps astringent as well) tooth-powder or wash. Such compounds as the following are good specimens of what is wanted. They are all agreeable to the taste:

℞.	Pulv. saponis,	gr. xx.–3 ss.
	" myrthæ,	3 ss.
	" cinchonæ,	3 ss.–3 j.
	" iridis florent.,	℥ ss.
	Cretæ preparat.,	3 xj.
	Ol. ros.-geran.,	q. s.
	M.	

Sassafras or winter-green oil may be used instead of the rose-geranium.

Or—

℞.	Alumini,	3 j.
	Tr. krameriæ,	℥ ss.
	Aquæ gaultheriæ,	℥ iv.
	M.	

Or—

℞.	Extr. krameriæ,	3 j.
	Aluminis,	3 j.
	Aquæ rosæ,	℥ iv.
	M.	

The use of chlorate of potash during a mercurial course allows a greater quantity of the mercurial to be administered without producing salivation.

℞. Potass. chlorat., ℈iv
Aquæ menth. pip.,
Syr. simpl., āā ℥ ij.
M. S. Teaspoonful in water every two hours.

The approach of salivation is heralded by certain symptoms. The breath acquires a peculiar flat, foul odor, called the mercurial fetor, which is very characteristic. It commences mildly before salivation, and persists with increasing intensity through the duration of the latter. The tongue gets coated. The mouth tastes constantly of copper (as the patient puts it), and is particularly disagreeable upon waking in the morning. The secretion of saliva increases. The gums get redder than usual, especially at the necks of the teeth.

All these signs forerun actual salivation. When they are present, the mouth is said to be "touched," and the prudent physician, looking out for these signs, can generally avoid actual salivation by making his patient cease his mercury and take a drachm and a half (about) of chlorate of potash in solution daily, together with frequent warm baths.

In actual salivation all the symptoms already detailed are much intensified. The tongue swells, and it, with the lips and sides of the cheek, may ulcerate; the gums sometimes show a purplish line along the necks of the teeth; they become spongy and fungous, bleeding at the lightest touch. The teeth loosen and project

from their sockets; portions of the jaw may necrose; meanwhile, pints of saliva are daily dribbling through the swollen lips.

In full salivation, an excellent remedy is the subcutaneous injection of sulphate of atropine:

℞. Atropiæ sulph., gr. j.
Aquæ destill., ʒ j.
M. S. Five minims subcutaneously.

About one-hundredth of a grain is enough to give at a time. The dose may be repeated several times a day, watching the effect upon the pupils. The salivary flow is generally greatly influenced by this means.

Of course, all mercury is to be stopped. Warm baths should be ordered. A mild alkaline diuretic is given:

℞. Potassæ citratis, ʒ j.
Aquæ, ʒ iv.
M. S. Teaspoonful in a little water four times a day.

Chlorate of potash, in a solution of a drachm to the pint, may be used as a constant mouth-wash, and from one to two drachms of chlorate of potash in solution taken into the stomach daily. An astringent mouth-wash is often of service:

℞. Pulv. aluminis, gr. xx–ʒ j.
Sodæ biboratis,
Aquæ, āā ʒ viij.
M.

Or—

℞. Acid. tannic., ℈j–ʒ j.
Mellis, ʒ ij.
Aquæ, ʒ vj.
M.

LANE LIBRARY

Or—

℞. Tr. myrrhæ, ʒ j–ℨ ss.
Aquæ gaultheriæ, *ad* ℨ viij.
M.

Where disinfection is required, one grain of permanganate of potash in an ounce of water, or a half of a one-per-cent. solution of carbolic acid, or a teaspoonful of Labarraque solution in a glass of water may be used as a constant mouth-wash.

The patient should be restricted to a milk-diet, or to very soft articles of food.

PREPARATIONS OF IODINE AND THEIR USE IN SYPHILIS.

Iodine and its preparations rank next in value to mercury in the treatment of syphilis. They always act as tonics when they are well digested; but most of them are irritating to certain stomachs. As tonics, the iodides are useful in any stage of syphilis, but not more so, I believe, than other tonics which are less liable to prove irritating to the stomach by prolonged use. As curative agents of syphilis, the iodides have but little power, even over symptoms in early syphilis, for their use does not seem to shorten the outcrops of eruption very materially or to prevent relapse.

In certain conditions of late secondary eruption, however, especially those which remain obstinately chronic in aggregated groups—scaly and tuberculated spots, chronic pustular patches, serpiginous ulcers—and in all conditions of visceral syphilis, whether gummy or otherwise, the preparations of iodine used along with

mercury (mixed treatment) greatly enhance the value of the latter, sometimes even outrank it in power.

When the lesion is purely gummy, no matter where situated, whether ulcerated or not, and, as a general rule, in all syphilis of the brain, cord, nerves, of bone, of any of the viscera, more especially if the onset of the attack has been sudden, the preparations of iodine must be depended upon for a cure of the symptom—often to the exclusion of mercury—and the drug must be pushed to the very utmost the stomach will stand, and rapidly pushed, if its full effect is to be obtained. After the iodine has done its work, when the symptom has yielded and the patient seems well, then mercury must be resumed at the "tonic dose," and continued for several months, at least, to seal the cure and prevent relapse.

It must be remembered, in giving the preparations of iodine, that they are quite apt to irritate the stomach, and that a less quantity will be of more service, the stomach being in good condition, than a greater quantity which disturbs digestion.

The iodides pass through the body promptly, and may be recovered in great quantity from the urine. It is during the passage through the blood that the curative influence is exercised. It has been argued that large doses are not necessary because the presence of iodine in the urine, when small doses are taken, proves that the blood is already saturated. This reasoning is theoretical. It cannot be accepted, since clinical experience shows that a very large dose of iodide is sometimes necessary to overcome a given symptom which a

smaller one will not touch, although the urine may show iodine clearly enough.

The fact is, that the kidneys must work actively, and rapidly eliminate the iodine which is put into the stomach, or the action of the drug is apt to be unsatisfactory, and some of the bad effects of iodine are liable to appear. When the iodides prove actively diuretic, then the tolerance of the patient is sure to be great and the good effects of the medicine marked. I am in the habit of asking patients who take the iodides whether they pass more than the accustomed amount of urine. If they do not, I add a diuretic to the solution of the iodide, such as infusion of digitalis in ounce-doses, or acetate or citrate of potash in half-drachm doses, or order the patient to take five to ten drops of the oil of juniper on a lump of sugar two or three times a day, and to drink plenty of water.

Among the bad effects of the iodides, the cutaneous eruptions produced by them are of the least importance, although they cause the patient to complain. Pimples, pustules of acne over the forehead, face, shoulders, buttocks, and sometimes quite generally over the body, may be brought out by a course of the iodides, especially if the dose be high. Reddened, scaly patches about the nose and on the face are less common. Purpura of the lower extremities may be caused by large doses. I have seen in one instance a distinct pemphigoid eruption (especially about the axilla and face), caused by the iodide of potassium. Hutchinson, of London, speaks of an acute bulbous eruption (hy-

droa) as being not infrequently caused by iodide of potassium.

Generally the cutaneous symptoms may be greatly alleviated by frequent warm baths, and by causing the kidneys to eliminate the iodine promptly.

The acute catarrhal symptoms, sometimes produced by taking the iodides, may be relieved in the same manner, but often by reducing temporarily the amount taken; the patient becomes accustomed to the drug, and then his dose may be raised without his being disturbed by it. A little opium or belladonna internally seems to modify this effect. The subcutaneous injection of atropine, as for ptyalism (p. 49), might be tried. The symptoms may run so high that the drug has to be stopped.

The bitter taste of iodine in the mouth, especially strong on waking in the morning, cannot be overcome. A little mint-water or a mint-drop in the mouth masks it as well as anything.

Sometimes the increase in the flow of saliva is great enough to amount to mild salivation. It is well, under these circumstances, to try to induce the kidneys to act freely.

Iodine may indirectly cause salivation when given freely after a mercurial course. It is believed to do so by rendering active mercury which has been lying dormant in the tissues. It is a very exceptionally rare occurrence.

Iodism is a general nervous irritation, with depression (sometimes very extreme), caused occasionally in

individuals by the use of the iodine. A physician in this city informed me that even the contact of tincture of iodine with his fingers gave him symptoms of iodism. Another physician at one time could not touch the tip of his tongue to a bottle containing the iodide of potassium without having headache and nervous depression as a result. The affection in question is exceptionally rare. It may be combined with irritation of the cutaneous or mucous expansions, or occur alone. In persons having the idiosyncrasy, iodine cannot be used. The iodides seem more apt to cause it than iodine in tincture or solution. The characteristic feature of iodism is great nervous depression, with more or less headache, ringing in the ears, neuralgic pains in the bones, etc.

The direct irritation of the *primæ viæ* caused by the iodides is one of the serious obstacles to getting a full effect from the drug, to reach which perfect assimilation is necessary, without interfering with nutrition. This irritation manifests itself by loss of appetite, gastralgia, perhaps nausea, diarrhœa with griping, etc.

To avoid these bad effects, every precaution is necessary. The iodides should never be used in pill-form except when the dose is quite small (never more than five grains), and then the pill should be taken during or just at the close of a meal. It is on this account that it is generally found best to administer the iodides invariably after eating, and always freely diluted with water.

When the stomach happens to be especially irri-

table, it is well to restrict the diet, to cut off fruits, vegetables, and indigestible food. I found it necessary in one case to limit the patient to a diet of milk and rice before I could push his iodide sufficiently to master his symptoms. Bismuth-powders, or even a little opium, may be added to the course if necessary, and, where the stomach cannot be managed by any of these means, the rectum may be used for a time. Five or ten grain doses of iodide of potassium in an ounce of beef-tea, thrown into the rectum several times a day, rarely cause any complaint, for a time at least. The vapor of iodine may be inhaled, but I have not found it necessary to test this method therapeutically. Iodoform in suppository is not irritating, and the same substance is pretty well borne by the stomach. I have given half a drachm at a dose without irritating the stomach, but I am not yet convinced that any of the properties of the iodides are shared by iodoform, and cannot, therefore, recommend the latter in the treatment of syphilis.

All the bad effects of the iodides are seen most strikingly when the iodide of potassium is used. The iodide of sodium at the same dose is much better tolerated; but its therapeutical value is not quite so great as that of the iodide of potassium.

When the stomach objects to both, the compound tincture of iodine may be used in water or in starch-water (iodide of starch). I have not seen the latter disagree with the stomach, even after the iodides had proved very irritating. I have obtained fair results

from its use in thirty-minim doses, largely diluted with water, and have not had occasion to push it further. The tincture of iodine is certainly less efficacious than the iodides, but it is an excellent preparation to fall back upon when the latter disagree. I have used metallic iodine, albuminate of iodine, iodide of ammonium, and iodide of calcium; but see no advantage in going outside of the first three mentioned—namely, the iodide of potassium, the iodide of sodium, and the compound tincture of iodine. With these, if iodine can be taken at all, I believe the requirements of any case may be met.

Ammonia in some form is often combined with the iodides in solution, under the idea (original, I believe, with Paget, who used the carbonate) that this addition intensified the power of the iodide with which it was combined. I have not been able to convince myself that this is so, although sometimes I have felt nearly sure of it. The combination, however, does no harm, and I often add one or two grains of the carbonate of ammonia, or the iodide of ammonium, to each dose of my solution of the iodide of potassium or sodium. Future observations will decide as to its real advantage.

The foregoing general remarks on the iodides and their uses are applicable wherever and whenever the drugs are employed, whether in combination with mercury or alone.

MIXED TREATMENT.

In the mixed treatment, the mercurial may be administered as inunction, or in fumigation, the iodide

being taken by the stomach, or both substances may be combined in the same formula.

An excellent combination, palatable and efficient, is the following. As written, the dose of the biniodide of mercury (one-sixteenth of a grain) is a full one for prolonged use. The quantity of mercury or of iodide of potassium may be varied at will, and one drachm of iodide of ammonium, or of the carbonate, may be added to the three ounces if desired. The iodide of sodium may be substituted for the iodide of potassium:

℞.	Hydrarg. biniod.,	gr. ss.
	Potassii iodidi,	ʒ ij.
	Syr. aurantii corticis,	℥ j.
	Tr. aurantii corticis,	ʒ j.
	Aquæ,	*ad* ℥ iv.

M. Teaspoonful in water after eating.

When a mild mixed treatment is to be long continued, it may be carried out in pill-form if the patient has a good stomach. Compressed pills (Dunton) are found in the shops, containing the biniodide of mercury and iodide of potassium in the proportion of one-twentieth of a grain to three grains, one-sixteenth to four, one-twelfth to five.

It is more convenient, however, to have pills made as required in whatever proportions seem suitable, as—

℞.	Hydrarg. biniod.,	gr. iij.
	Potassii iodidi,	gr. cl.
	Gum-tragacanth,	q. s.
	Glycerini,	q. s.

M. Make into fifty pills.

The iodide of sodium may be substituted in the pill

for the iodide of potassium, and some reduced iron, or a minute portion of arsenious acid—especially valuable in long-standing and superficial infiltrations tending to become scaly—may be introduced into the pill, separately or together. Iron is indicated in anæmic conditions, and a little arsenic in such troubles of the integument as are peculiarly chronic and of the scaly type.

The mixed treatment is rarely given for any very prompt immediate effect. The more chronic troubles of intermediary and late syphilis call for it; and all the late lesions which are not frankly and simply pure gummata. The latter need no mercury.

When it is desirable to give one of the iodides at a fixed dose, it is well to administer it in solution in some bitter tonic, as—

℞. Potassii iodidi, ʒ ss.
Tr. cinchon. co., ʒ iij.
Teaspoonful, largely diluted in water, after eating.

Two grains of one of the preparations of ammonium may be added to each dose of this preparation, or gentian-tincture may be substituted for cinchona.

A very convenient way of giving the iodide, however, is as follows:

℞. Potassii iodidi, ʒ j.
Aquæ destillatæ, *ad* fl ʒ j.
M.

This is a saturated solution. The dose to commence with should be five or ten minims, and one or more minims may be added to each subsequent dose, accord-

ing to the rapidity with which it is desired to push the drug. Such a solution and a minim glass generally give the patient satisfaction. This minim dose, of course, must be largely diluted with water when taken. In the same manner a saturated solution of iodide of sodium may be used:

℞. Sodii iodidi, ℥ j.
Aquæ, *ad* fl ℥ j.

As already stated, iodine in tincture may sometimes be advantageously substituted for one of the iodides:

℞. Tr. iodinii comp., ℥ ss. to ℥ j.
Aquæ, ℥ j.
Teaspoonful, largely diluted with rice-water or simple water.

QUANTITY OF IODIDE WHICH MAY BE REQUIRED.

The limit to the amount of iodide which may be given to a patient depends upon its action. If all precautions are taken to keep the kidneys active and the skin free, and the dose is so managed that the stomach does not rebel, the drug may be pushed until the symptoms yield, and this they surely will do if they are of a gummatous nature. Under the kindly influence of iodine, unsparingly pushed, the node melts away, the gummy tumor becomes absorbed, the spreading ulcer blushes with healthy granulations, the palsied muscle regains its contractility, the veil drops from the clouded intellect, the maniacal paroxysm is followed by peace.

No means in the physician's hands place him so near the Deity as the iodide of potassium. With it, in

well-selected syphilitic cases, he can sometimes almost effect a resurrection. Wasted and lost functions are restored; the mind, the memory, the speech, the hearing, the sight, the taste, the touch—all may be recovered by its aid. The prognosis in the most desperate conditions is always infinitely better where syphilis can be made out as having caused the trouble, than where any other diseased condition is at fault; and no amount of destructive tertiary disease need occasion despondency, so long as the integrity of the stomach can be preserved and the physician is strong in his faith in iodine, and expert in his methods of using it.

I have given an ounce a day of the iodide of potassium (two drachms every six hours) in several cases with advantage. It is very exceptional, however, to give such large doses. Rarely is more than a drachm-dose necessary, and a half-drachm meets the full requirements of most cases. With iodine, as with mercury, every man has his own dose; and if the diagnosis be accurate, and the proper precautions in administration taken, the drug may be pushed indefinitely until the symptom yields. In all ordinary cases from three to five grains at a dose is enough to begin upon. In emergencies (hemiplegia, threatened loss of soft palate, mania, etc.) commence with twenty grains, and increase rapidly, adding five grains to the daily or even to the hourly dose if necessary.

Unfortunately, the iodide of potassium is an expensive drug, but it is the poorest kind of economy to buy it at a cheap store. In such cases it is generally a little

iodide mixed with a large amount of bromide of potassium which is bought.

DURATION OF TREATMENT BY IODINE.

The symptoms are what we treat with iodine, not the disease. Mercury modifies the disease, iodine cures certain symptoms; mercury tends to prevent relapse—not so iodine. Hence iodine need be given for the symptoms it controls; it should be continued during the existence of the latter, and for some weeks—possibly months—afterward (according to the severity and chronicity of the symptoms), and then gradually dropped, while mercury, which should be given with it toward the end, is continued.

OTHER MEANS USED IN THE GENERAL TREATMENT OF SYPHILIS.

The different preparations, extracts, decoctions, etc., of the woods, are of some service as tonics and adjuvants during a course of general treatment, but have no specific value. Guaiac and sarsaparilla are the best: the former is more fitting to be used with mercury; the latter, while iodide of potassium is being taken. Sulphur as a curative agent has, I think, no value. A course at a sulphur-spring is believed by some to be able to decide whether the patient in a given case is cured of syphilis or not; the idea being that, if any syphilis remains, the sulphur-bathing will cause it to appear. This test is not reliable in late syphilis, when it is most needed. The irritation of a sulphur-bath

will often call out an eruption upon a patient suffering from syphilis early in the disease, but later along he may be manifestly suffering from visceral syphilis, and still show nothing new after sulphur-baths. As for the alleged power of sulphur to "get mercury out of the system," I consider it purely hypothetical.

Zittman's decoction (the stronger), of which the formula may be found in the United States Dispensatory, is a remedy of undoubted power. It is, roughly speaking, a decoction of sarsaparilla and senna made aromatic, and containing a little mercury. In very obstinate cases of late syphilis, especially the ulcerative form, where there is a tendency to cachexia and no appetite, large doses of this decoction up to a pint a day or more, so as to produce pretty free catharsis, will often give the patient a decided turn for the better. It may be used tentatively for a while, when the standard remedies seem to lose their power.

Syphilization as a cure for syphilis has been judged by the profession of the present day. It is based on a misconception, and its use with private patients is impracticable.

The Hot Springs of Arkansas are vaunted for their power to eradicate syphilis. This claim is utterly unfounded in fact.[1] The eruptions do disappear at the

[1] One of the physicians from the springs, recently on a visit to New York, informed me that he did not claim for the springs any power to do away with syphilis, but always gave mercury moderately and iodide of potassium in connection with the waters. He stated, however, that the general influence of the waters was tonic and reconstituant, and that all forms of syphilis did much better under their use than when treated without them.

Hot Springs, and many of the more chronic and inveterate cutaneous lesions are promptly removed by a course of the baths, but relapses occur just as after other forms of treatment, and the great disadvantage of the springs is that they encourage false hopes. Some of the physicians at the springs, I find, use mercury and the iodides in excess upon the patients who are taking the baths.

The exact value of these springs has not yet been scientifically established. It is to be hoped that some of the physicians now upon the spot will make a thorough study of the subject and report it to the profession. Such a report would doubtless be of great value.

GENERAL TREATMENT OF PREGNANT SYPHILITIC WOMEN.

When a woman known to have active syphilis becomes pregnant, the chances of abortion or miscarriage are very great. In many cases a careful mercurial treatment will avert such a catastrophe.

It is proper to treat all cases of pregnancy in syphilitic women with mercury, and with mercury alone, so far as the pregnancy is concerned, although for her own special symptoms the mother may require iodine. None of the preparations of iodine, however, seem to possess any value in averting abortion.

The obstacle to treatment in a pregnant woman is the condition of the stomach, which for many months in most women (sometimes during the whole of pregnancy) is capricious, irritable, liable to spontaneous nausea, and otherwise unfit for the introduction of

medicine. In a given case if the stomach happens to be perfectly good, mercury may be given by the mouth —preferably in the form of blue-pill combined with iron. The "tonic dose" is too small to be relied upon; the "full dose," if maintained throughout pregnancy, would be debilitating to mother and child. It is better, therefore, to use a little more than the "tonic dose," adding, perhaps, one-third of the "reserve dose" (p. 36). This may be safely maintained throughout utero-gestation.

In a great majority of all cases, however, no accurate dosing by the stomach can be followed out, and inunction must be relied upon. It should be steadily continued throughout pregnancy, but never pushed to the point of salivation.

GENERAL TREATMENT OF INHERITED SYPHILIS.

All the earlier symptoms of inherited syphilis yield, if they do so at all, to mercury. The bone-lesions, and some of the visceral lesions, do better when the iodides are used at the same time with the mercury, but the latter is indispensable in all cases. The stomach of the nursing baby cannot be depended upon, for vomiting is nearly as natural to it as swallowing, and it is impossible to regulate the dose; therefore inunction must be resorted to for babies. Young babies do not seem liable to become salivated, and the only caution required in treating them by inunction is a care that their delicate skin does not become irritated by the

ointment employed. This may be avoided by frequent inspection, and plenty of soap-and-water.

Inunction in babies is best performed by smearing the flannel belly-band with ointment or oleate, and keeping it constantly applied until the skin commences to show irritation. The soles of the feet, unless rawed by excoriations or pemphigus, may be bound up in the oleate. Bandages may be wrapped also around the knees and elbows, the constant motions of the child tending to work the mercury into the skin. Should the infant get considerable diarrhœa, the inunctions may be intermitted temporarily.

CHAPTER III.

THE LOCAL TREATMENT OF SYPHILIS, AND THE ESPECIAL MEANS ADAPTED TO SPECIAL LESIONS.

Local Treatment of Chancre. — Of Syphilitic Phagedena, of Bubo. — Of Lesions of Mucous Membranes.—Of Cutaneous Lesions.—Of Lesions of the Eye, the Ear, of Muscles, Joints, Bones.—Visceral and Nervous Syphilis.

CHANCRE.

THE *infecting chancre* is often so trifling a lesion that it almost escapes notice, but it may possess all shades of severity up to gangrenous phagedena. It is not necessary to burn an infecting chancre. Some of the milder forms seem to heal more promptly after being cauterized, but the patient has syphilis none the less. In point of fact, the patient has already had syphilis for many days before his chancre appeared. Did he not have syphilis, he could have no chancre. Assuredly the chancre does not give him syphilis, but syphilis gives him the chancre, and destroying the latter on its first appearance cannot destroy the disease. This has been clinically proved in many instances (Hill, Diday[1]), and incidentally is being constantly demonstrated by those patients whose infecting chan-

[1] Van Buren and Keyes's "Genito-Urinary Diseases, with Syphilis," pp. 509. New York: D. Appleton & Co., 1874.

cres are cauterized on their first appearance under the mistaken idea that they are chancroids. These patients have their syphilitic eruptions in due time, and the cauterization generally fails to do the chancre any good. Mixed chancres should be thoroughly cauterized, as though they were chancroids.

Mild chancres may be dressed with dry lint, or a little vaseline, or some slightly-astringent wash, as—

℞. Vini aromatici, ℥ ss.
Aquæ, ℥ jss.
M.

Or a soothing lotion—

℞. Liq. plumbi subacetatis dil., q. s.

These are used by soaking a thin piece of linen in them, and applying it so as to keep the raw surface from contact with the surrounding parts (as in subpreputial chancre). Or powdered oxide of zinc may be dusted over the surface in addition to the use of one of the lotions, or iodoform used alone where the odor is not an objection. Such means as these are advisable so long as there is the least possible doubt of the nature of the sore. When that doubt ceases and internal treatment can be commenced, the chancre heals with charming rapidity under the internal use of mercury without demanding any aid from local measures. But a local mercurial will assist its disappearance even under these circumstances. Among the best to use are—

℞. Lotio nigr., q. s.
Shake before applying.

Or, what amounts to the same thing—

℞. Hydrarg. oxid. nigr., q. s.
To dust over the sore.

Or—

℞. Hydrarg. chlorid. mitis, q. s.
To use in the same manner.

Or any of the mercurial ointments recommended for syphilitic ulcers (page 76). Should *phagedena* attack the chancre, it should be cauterized thoroughly with nitric acid, or the red-hot iron, or both, and then allowed to scab, or be dressed with vaseline, or lead-lotion, or balsam of Peru. Tonics should be given meantime internally, and the "tonic dose" of mercury used—*even in phagedena, if an accompanying eruption proclaims the chancre to be syphilitic, but not otherwise.* Phagedena destroys induration, and masks all the physical characters of the syphilitic chancre. Chancroid is far more subject to phagedena than is chancre, and the proof of syphilis must exist in the form of a characteristic eruption before it is allowable to give mercury for phagedena.

SYPHILITIC BUBO.

The indurated indolent ganglia of syphilis, when of moderate dimensions, do not call for local measures. If they threaten suppuration, as they occasionally do, rest and light poultices, with tonics and good food, afford the best means of combating this complication. Tincture of iodine is of little or no value. I have sometimes thought that I have averted suppuration by keeping a freshly-made belladonna-plaster constantly

over the bubo. Should suppuration occur, the abscess is to be treated on general surgical principles.

In those uncommon cases where the bubo becomes inordinately large, with no tendency to suppurate, tincture of iodine locally is of some service in promoting resolution. Assistance can be found in a mercurial plaster or oleate of mercury to the skin, rest to the body, and pressure by a bag of shot or sand, or dry compressed sponge (afterward moistened) under a tight bandage. A blister over such a surface will sometimes start absorption, or touching a red-hot iron twenty or thirty times lightly to the skin over the hardened mass, or multiple puncture into the substance of the gland with a needle. It rarely becomes necessary to extirpate these large masses, as they gradually melt away under general treatment if local means fail. I have seen masses as large as the fist perfectly indolent in the groins of both sides, and occasioning enormous œdema of the scrotum and penis. Such lumps sometimes call for active surgery. Interstitial injections of iodine or electrolysis might be tried.

LOCAL TREATMENT OF LESIONS OCCURRING UPON MUCOUS MEMBRANES.

Mouth-lesions of every description require cleanliness in their treatment. The use of tobacco in any form is injurious.

Erythema.—The early sore-throat of syphilis is largely erythematous. The hyperæmia may run high, and the attack resemble a bad sore-throat. It yields

to general (antisyphilitic) treatment; but local remedies give the patient great comfort—such as gargling with hot milk, hot fomentations about the neck—in very bad cases, steaming the throat. The following is useful and soothing:

℞.	Codeiæ,	gr. ij.
	Potass. chlorat.,	ʒ ij.
	Infus. lini. co.,	ʒ iij.
	Syr. tolu,	ʒ j.

M. S. Tablespoonful every two hours.

Ulcers, if acute and superficial, require only a continuance of the means just suggested. In addition, they may be touched once a day with a very mild solution of nitrate of silver, five or ten grains to the ounce.

Chronic ulcers, however, with brawny, livid, indurated margins and base, where the bottom is either without granulations, or covered with a dirty, whitish pellicle—ulcers, I mean, which are not gummy, not advancing rapidly, but such ill-looking, sluggish, often painful, chronic ulcers, as are found in intermediary and late syphilis on the back of the fauces, on the tonsils, on the sides, tip, or top of tongue, inside the cheeks, or at the angles of the lips—these varieties of ulcer require active local treatment in combination with internal (preferably mixed) treatment for their relief. Mouth-washes, care of teeth, chlorate of potash, etc. (page 49), are all useful.

The local applications most effective upon these ulcers are, in their order of efficiency, acid nitrate of mercury, nitrate of zinc, and nitrate of silver. Acid

nitrate of mercury is best applied with an old-fashioned wax bougie. A wooden rod holds hardly enough, while a drop is apt to fall from the end of a glass rod should the latter be used; and, if such a drop falls into the fauces, the suffocative paroxysm caused by it is very distressing. Acid nitrate of mercury gives considerable pain, and it is best not apply to it to very extensive surfaces. The ulcerated surface may be touched lightly with it every two or three days until the granulations look healthy.

Nitrate of zinc is next in excellence, and stands next in the amount of pain it produces. The pain varies; some patients complain but little, others are extravagant in their expressions of discomfort. The nitrate of zinc can now be bought in sticks covered in with paper. The sticks I find apt to deliquesce in warm weather, and should be kept in tightly-corked bottles. To make an application, the solid stick is rubbed pretty actively over the whole surface. The size of the latter makes no difference.

Nitrate of silver, in solid stick or solution, may be used instead of the foregoing remedies, but is much less serviceable.

Finally, local mercurial fumigations are of service for ulcerated, mucous, or scaly patches in the mouth or throat where the fumes of calomel can be inhaled without provoking cough. This local fumigation is very easily performed. The tin table and lamp (Fig. 3, p. 45) are used. From a quarter to two grains of calomel, mixed with an equal quantity of powdered chalk,

to prevent too rapid volatilization, are spread upon the tin table, the lamp lighted, and the fumes inhaled with open mouth, or through the apex of a slightly-truncated newspaper cone held over the ascending fumes.

Gummy ulcers, those resulting from an ulcerated gumma, or the serpiginous, gummy ulcer of the fauces, which is visibly spreading from day to day, with a yellowish, pultaceous base and border, and a brightly livid red line between this border and the healthy parts—these ulcers require no local treatment. All energy and attention bestowed upon them locally is wasted. Cauterization cannot be relied upon to arrest them, and whatever tissue is destroyed by cauterization is so much more loss to the patient. Chlorate of potash, cleanliness, steam, and local fumigation, may do some good; but the one and only thing to do in an emergency like this—for a destructive ulcer of the fauces in an emergency—is to push and crowd a suitable iodide vigorously, and to bestow all care and attention upon the stomach, that the patient may assimilate his drug in a kindly manner. The reward is visible, and the charm of seeing such an ulcer flush with healthy granulations, and of daily watching the epithelium almost skim before the eyes over the surface, is rarely surpassed in medical experience.

Mucous and Scaly Patches.—These are the bugbear of the patient and the torment of his adviser. They come early in syphilis, and stay late, cropping out long after all other symptoms seem to have been subdued. The hygiene of the mouth and care of the teeth are

most important in this connection. A rough angle of a projecting tooth, or a persistence in chewing or smoking tobacco may baffle the best-directed and most intelligent efforts, local and general, for the removal of these pests. This the patient should be made distinctly to understand, and his complainings should be turned against himself if he fails to do his part toward keeping his mouth in order.

The special local means adapted to the treatment of mucous and scaly patches are the same as those for chronic ulcers, less vigorously applied. It is not often necessary, however, to resort to painful topical applications like the acid nitrate of mercury, or nitrate of zinc; and a large crystal of pure sulphate of copper is cleaner and less disagreeable than nitrate of silver, and found to answer about as well in ordinary cases as its more powerful rivals. The patient may be instructed to touch his mucous or scaly spots lightly once or even twice a day with a smoothed lump of sulphate of copper, and under the stimulation the patches will generally disappear.

Lesions of the mucous membrane of the nose are treated on the same general principles as those of the mouth and throat, by fumigations and topical applications. In babies with inherited disease, who have the snuffles, the nose may become so blocked up with scabs and mucus that nursing is interfered with. Syringing with warm soap-suds and anointing the nostrils thoroughly with vaseline, will be of great assistance in these conditions. In late syphilis, where the bones of the

nasal cavities have been diseased, portions of dead bone, not yet separated, or inclosed partially in healthy involucrum, keep up offensive discharges and maintain ulceration. The removal of the offending bone can alone effect a cure in these cases; douching and syringing with carbolic acid and permanganate of potash solutions are only palliative.

LESIONS OF THE VAGINAL AND ANAL MUCOUS MEMBRANES AND THEIR VICINITY.

Mucous patches and ulcers of the vagina are managed on the same general principles as those of the mouth. When these lesions, however, are situated about the orifice of the genital passages in the female, or about the anus, scrotum, and under the prepuce, in the male,[1] they are always bathed in an offensive moisture, and apt to vegetate, to be surrounded by groups of flat condylomata, and clusters of vegetations—so-called venereal warts.

In the treatment of such patches of complex disease, the first requisite is disinfection. The parts must be washed with Labarraque solution diluted with five or six parts of water, or with water deeply tinted with permanganate of potash. Then they should be thickly dusted with pure calomel, or calomel and iodoform in equal parts, and some old linen, or Von Bruns's cotton, or oakum tucked in between the overlying portions of skin, so that the affected surfaces may be shielded from

[1] And to a certain extent when mucous patches occur between the toes.

all adjoining parts. The dressings should be renewed two or three times a day or more, according to the severity of the case, and prompt improvement is pretty certain to follow. In addition to these measures, applications of nitrate of zinc, nitrate of silver, etc., may be made with advantage.

Old, indurated, indolent ulcers require active cauterization or excision.

LOCAL TREATMENT OF CUTANEOUS LESIONS.

The earlier eruptions due to syphilis are, for the most part, scattered over the whole body. Local treatment is unnecessary; when portions of these eruptions or groups of lesions later in the disease appear upon the face or hands, patients become urgent in their demands for some local application to remove the sign which, they seem often to believe, heralds their malady to the world.

Local applications are of very positive value in cutaneous lesions of all sorts—the congestive and the hyperplastic as well as the scaly and the ulcerative. It is needless to detail each lesion and the local application especially suited to it; suffice it to say, the more chronic the lesion, the more tissue-change there has been, the stronger, the more stimulating may be the local application—so long as the skin remains unbroken. With ulcers the strength of the ointment must be modified according to the sensations of the patient. These remarks apply also to the cutaneous lesions of inherited disease.

The following ointments will be found of service where the skin is unbroken:

	℞. Hydrarg. oleat.,	5 per cent.
Or—		
	℞. Hydrarg. ammoniat.,	3 j to 3 ij.
	Vaseline,[1]	℥ j.
Or—		
	℞. Hydrarg. oxid. rub.,	3 ss to 3 ij.
	Vaseline,	℥ j.
Or—		
	℞. Ungt. hydrarg. nitratis,	q. s.
	To be used pure, or diluted one-half.	
Or—		
	℞. Hydrarg. iodidi,	gr. xx to xl.
	Vaseline,	℥ j.
Or—		
	℞. Hydrarg. oxid. flav.,	gr. xx to 3 j.
	Vaseline,	℥ j.

I have used all these preparations largely. The oleate and white precipitate I use most upon erythematous lesions and the papular syphilide—the citrine and yellow oxide on scaly and tuberculated patches, the red precipitate and green iodide where the others do not seem to act promptly.

For ulcers and patches of rupia deprived of their scabs, the local remedies are the same as above. Their application should not produce pain, although several of them do so in many cases if they are put on at full strength, so that they may require dilution at first for special cases. Among the above ointments I find the nitrate of mercury (half strength) and the iodide of

[1] Simple benzoated cerate, lard, cold cream, or other substance, may replace the vaseline. The latter never becomes rancid.

mercury (full strength as given) to be most serviceable in cases of ulceration.

An excellent local effect upon ulcers may be produced often by sprinkling them with iodoform or black oxide of mercury, or calomel, alone or combined with oxide of zinc, and perhaps containing a little camphor.

Syphilitic ulcers must receive surgical attention also. If sloughs adhere upon their surface, they may be removed with the yeast-poultice. Balsam of Peru, with strapping and tight bandaging, will greatly assist the cicatrization of ulcers on the leg when the circulation is defective, varicose veins exist, etc.

When the edges of a chronic syphilitic ulcer are livid and indurated with irregular granulations (or perhaps with none at all), the whole aspect of the sore may be changed by freely incising the hardened edges and poulticing for a few days, or by encircling the ulcer with a deep incision at about half an inch from its edge, the incision to reach well down to the deep fascia all around. Such an incision may be then packed with lint or oakum and the whole part bound up under pretty firm pressure until suppuration sets in.

When an ulcer is peculiarly indolent, indurated, and chronic, new activity may be excited in it by packing it full of crystals of acetate of soda. The application produces considerable pain, lasting often several hours. It makes a superficial, filmy slough, but has a charming effect in freshening up a sluggish surface. A somewhat similar stimulating influence is exercised

by solutions of chloral upon unhealthy and sluggish ulcers, as—

℞.	Chloral hydrate,	gr. v–xx.
	Aquæ,	℥ j.
	M.	

Lint, soaked in this solution, is packed into the ulcer. If the solution is stronger than five grains to the ounce, it causes considerable pain; but the pain does not usually last long, and the applications, as a rule, need not be continued more than two or three days before the bottom of the ulcer clears off and assumes a fresh, bright appearance, showing itself ready to advance toward cicatrization alone, or by the help of some ordinary local measures.

When dead bone not yet separated exists at the bottom of an ulcer, it may be touched daily (if it is in plain sight) with sulphuric acid. Where it exists partly covered with granulations, or at the bottom of a sinus, or in a cavity, injections of one part of acid to six, or even three, of water may be used without doing violence to the granulations, or causing appreciable pain, while at the same time the solution is strong enough gradually to dissolve away small portions of bone.

LOCAL TREATMENT OF LESIONS OF THE EYE.

When any inflammatory lesions occur upon the conjunctiva, besides the general treatment, it is rarely necessary to do more than bathe the eye frequently in warm water, shield it from the light, and instill into it,

several times a day, a few drops of the following, for the soothing influence which it exercises:

℞.	Atropiæ sulph.,	gr. ij.
	Aquæ destill.,	℥ j.
	M.	

When the cornea is involved, the same local means may be called for if the eye becomes red or painful.

Iritis.—This requires pretty active mercurialization for its prompt relief—preferably by the bath. Gummy exudation in this region is also generally very favorably influenced by mercury. The atropine solution should be used with the utmost freedom in all cases where the iris is involved. A mixture of twenty per cent. oleate of mercury in belladonna-ointment, two drachms to the ounce, may be rubbed over the brow of the affected side. Morphine locally or internally may be required for pain.

The deeper lesions of the eye require no local treatment. If there be pain about the eye, the instillation of atropine may be soothing, but internal treatment, mainly mercurial, can alone be relied upon to effect any positive improvement.

LOCAL TREATMENT OF LESIONS OF THE EAR.

Syphilis of the ear does not call for any local measures except such ordinary surgical means as naturally suggest themselves. The subject is only mentioned to call attention to those rare cases of sudden deafness occurring in acquired syphilis, evidently due to nerve-lesion and not attended by any local symptoms what-

soever. The general treatment I have found of service in such cases is the daily mercurial bath and large doses of the iodide rapidly pushed to the limit of tolerance. A very satisfactory result was reached in an extreme case of this sort which I recently saw in connection with Prof. Roosa.[1]

LOCAL TREATMENT OF SUBCUTANEOUS LESIONS, MUSCULAR AND JOINT AFFECTIONS, NODES.

Lesions coming under these heads are either purely gummy, or partake more or less of a gummatous nature. Their general treatment is the iodides, pure, or the mixed treatment with the iodides in excess. There is no doubt but that sometimes decided advantage may be derived in these lesions by combining local inunction of one of the oleates of mercury with the internal treatment.

VISCERAL SYPHILIS.

Lesions of the viscera rarely require any local treatment, being for the most part too deeply seated to be influenced by it. They generally call for mixed treatment with the iodides in excess, especially if the lesions give rise to active functional disorders. After the latter have subsided the quantity of iodide may be reduced, and the whole treatment terminated by a prolonged mild mercurial course. Even in orchitis I do not find local inunction of any appreciable service.

When the testicle is the seat of a distinct gumma, the iodide alone will control it, but the more the lesion

[1] *New York Medical Record*, November 18, 1876, p. 748.

approaches the diffuse parenchymatous type (that form giving the smooth, hard, woody, insensitive enlargement of the testicle), the more is mercury needed and the less will iodine accomplish. The less the lesion partakes of the nature of gummy tumor, the more chronic is its course apt to be. The same remark holds good of all other visceral lesions. If from the rapidity of the onset of the symptoms, or by physical signs or otherwise, a diagnosis of visceral gumma can be established, an unsparing use of the iodides is called for—otherwise the mixed treatment, with iodide in excess, and finally a pure mercurial tonic course. The visceral lesions of children, when they yield, do so to mercury.

Of nervous symptoms the same remarks hold good: a lavish use of iodides is called for by acute symptoms, mixed treatment for the more chronic forms, gradually tapering down to a pure mercurial tonic course.

INDEX.

	PAGE
Arkansas, Hot Springs of	62
Bath, Mercurial Vapor-	42
Blood, Effect of Mercury on the	24
" " " the Iodides on the	25
Bubo (Syphilitic), Treatment of	68
Chancre, Treatment of	66
Dose (Mercurial), Full	35
" " Tonic	36
" " Reserve	36
" of the Iodides	59
Ear, Treatment of Lesions of	79
Eruptions, Local Treatment of	75
Eye, Treatment of Lesions of	78
Hématimètre	18
Hot Springs of Arkansas	62
Inunction	39
Iodides, Bad Effects of	52
" Effect of, in Syphilis	28
" Dose of	59
" Duration of Treatment by	61
Iodine, Preparations of useful, in Syphilis	50
Mercury, Alterative Action of	14
" as now used in Syphilis	8
" Combinations of, useful in General Treatment	32
Mercury, Dose of, and its Rate of Increase in General Treatment	34
Mercury, Duration of Treatment by	38
" during Pregnancy	63
" Effect of, on Animals	16
" Full Dose of	35
" Hygienic Preparation for	33
" in Inherited Disease	64
" Inunction of	39
" in Vapor	43
" Local Influence of, on Lesions	27
Mercury, Popular Estimate of	11
" Reserve Dose of	36
" Tonic Dose of	36
" Tonic Influence of	13
Mouth-Lesions, Local Treatment of	69
Mucous Patches, " " "	72
Nose, Lesions of Mucous Membrane of	73
Pregnancy, Treatment of, in Syphilis	63
Salivation	37, 47
Syphilis, Effect of Iodides in	28
" " " Mercury in	27
" Mercurial Combinations useful in	32
Syphilis, Preparations of Iodine useful in	50
Syphilis, Treacherous Nature of	12

	PAGE
Syphilization	62
Treatment, how long to continue	38
" Mixed	56
" of Chancre	66
" " Bubo	68
" " Eruptions	69
" " Inherited Disease	64
" " Mucous Patches	72
" " Pregnant Women	63
" " Salivation	47
Treatment of Ulcers of Mouth and Throat	70
Treatment of Ulcers of Integument	76
" when to commence	31
Ulcers of Integument	76
" " Mouth and Throat	70
Vapor-Bath (Mercurial)	42
Visceral Syphilis	81
Zittman's Decoction	62

THE END.

MEDICAL WORKS

PUBLISHED BY D. APPLETON & CO.

Anstie on Neuralgia. 1 vol., 12mo	Cloth,	$2 50
Bartholow's Treatise on Therapeutics	"	5 00
Barker on Puerperal Diseases. 1 vol.	"	5 00
Barker on Sea-Sickness. 1 vol., 16mo	"	75
Barnes's Obstetric Operations. 1 vol., 8vo	"	4 50
Bellevue and Charity Hospital Reports. 1 vol., 8vo	"	4 00
Bennet's Winter and Spring on the Mediterranean. 1 vol., 12mo	"	3 50
Bennet on the Treatment of Pulmonary Consumption. 1 vol., 8vo	"	1 50
Billroth's General Surgical Pathology and Therapeutics. 1 vol., 8vo.	"	5 00
Buck's Contributions to Reparative Surgery. 1 vol., 8vo	"	3 00
Bastian on the Common Forms of Paralysis from Brain Diseases		1 75
Bulkley's (L. D.) Acne; its Pathology, etc		(In press.)
Combe on the Management of Infancy. 1 vol., 12mo	Cloth,	1 50
Carpenter's Mental Physiology		3 00
Chauveau's Comparative Anatomy of the Domesticated Animals. Edited by George Fleming, F. R. G. S., M. A. I. 1 vol., 8vo, with 450 Illustrations	"	6 00
Davis's (Henry G.) Conservative Surgery	"	3 00
Dickson on Medicine in Relation to the Mind	"	3 50
Elliot's Obstetric Clinic. 1 vol., 8vo	"	4 50
Ecker's Convolutions of the Brain		1 25
Flint's Physiology. 5 vols., 8vo	Cloth, per vol., $4 50; Sheep,	5 50
Flint's Text-Book of Human Physiology. 1 vol., 8vo	Cloth, $6 00; "	7 00
Flint's Manual on Urine. 1 vol., 12mo	Cloth,	1 00
Flint's Relations of Urea to Exercise. 1 vol., 8vo	"	1 00
Frey's Histology and Histo-Chemistry of Man	"	5 00
Hoffmann's Manual of Medicinal Chemicals	"	3 00
Holland's (Sir Henry) Recollections of Past Life. 1 vol., 12mo	"	2 00
Howe on Emergencies. 1 vol., 8vo	"	3 00
Howe on the Breath, and the Diseases which give it a Fetid Odor	"	1 00
Huxley on the Anatomy of Vertebrated Animals. 1 vol.	"	2 50
Huxley and Youmans's Physiology and Hygiene. 1 vol., 12mo	"	1 75
Hammond's Insanity in its Relations to Crime. 1 vol., 8vo	"	1 00
Hammond's Diseases of the Nervous System. 1 vol., 8vo	Cloth, $6 00; Sheep,	7 00
Hammond's Clinical Lectures on Diseases of the Nervous System. 1 vol., 8vo.		3 50
Hamilton's (A. McL.) Electro-Therapeutics. 1 vol., 8vo	Cloth,	2 00
Johnston's Chemistry of Common Life. 2 vols., 12mo	"	3 00
Letterman's Recollections of the Army of the Potomac. 1 vol., 8vo	"	1 00
Lewes's Physiology of Common Life. 2 vols., 12mo	"	3 00
Markoe on Diseases of the Bones. 1 vol., 8vo	"	4 50
Maudsley on the Mind. 1 vol., 8vo	"	3 50
Maudsley's Body and Mind. 1 vol., 12mo	"	1 00
Maudsley on Responsibility in Mental Disease		1 50
Meyer's Electricity. 1 vol., 8vo	"	4 50
Niemeyer's Practical Medicine. 2 vols., 8vo	Cloth, $9 00; Sheep,	11 00
Neftel on Galvano-Therapeutics. 1 vol., 12mo	Cloth,	1 50
Nightingale's Notes on Nursing. 1 vol., 12mo	"	75
Neumann on Skin Diseases. 1 vol., 8vo	"	4 00
New York Medical Journal	$4 00 per annum. Specimen copies,	35
Paget's Clinical Lectures and Essays. 1 vol., 8vo	Cloth,	5 00
Peaslee on Ovarian Tumors. 1 vol., 8vo	"	5 00
Pereira's Materia Medica and Therapeutics. 1 vol., 8vo	Cloth, $7 00; Sheep,	8 00
Richardson's Diseases of Modern Life. 1 vol., 12mo	Cloth,	2 00
Sayre's Club-Foot. 1 vol., 12mo	"	1 00
Sayre's Orthopedic Surgery. With the Operations incident to Deformities. With numerous Illustrations	Cloth, $5 00; Sheep,	6 00
Schroeder on Obstetrics. 1 vol., 8vo	Cloth,	3 50
Steiner's Compendium of Children's Diseases	"	3 50
Stroud's Physical Cause of the Death of Christ. 1 vol., 12mo		2 00
Swett on Diseases of the Chest. 1 vol., 8vo	"	3 50
Simpson's (Sir Jas. Y.) Complete Works. Vol. I. Obstetrics and Gynæcology. 8vo. Vol. II. Anæsthesia, Hospitalism, etc. 8vo. Vol. III. The Diseases of Women	Per vol., Cloth, $3 00; Sheep,	4 00
Tilt's Uterine Therapeutics. 1 vol., 8vo	Cloth,	3 50
Van Buren on Diseases of the Rectum. 1 vol., 12mo		1 50
Van Buren & Keyes's Genito-Urinary Diseases, with Syphilis. Cloth, $5; Sheep,		6 00
Vogel's Diseases of Children. 1 vol., 8vo	Cloth, $4 50; "	5 50
Wells on Diseases of the Ovaries. 1 vol., 8vo	Cloth,	5 00
Wagner's Chemical Technology. 1 vol., 8vo		5 00
Walton's Mineral Springs of the United States and Canada. With Analyses and Notes on the Prominent Spas of Europe	"	2 00

*** Any of these works will be mailed, post-free, to any part of the United States, on receipt of the price.

A large and carefully-selected stock of Medical Works, American and Foreign, constantly on hand. Descriptive Catalogue forwarded on application.

Physicians desiring to have their names inserted in our Medical Directory of the United States and Canada, will please send them in full, with addresses. No charge.

D. APPLETON & CO., Publishers, 549 & 551 Broadway, New York.

THE POPULAR SCIENCE MONTHLY.

CONDUCTED BY

E. L. YOUMANS.

This periodical was started (in 1872) to promote the diffusion of valuable scientific knowledge, in a readable and attractive form, among all classes of the community, and has thus far met a want supplied by no other magazine in the United States.

Eight volumes have now appeared, which are filled with instructive and interesting articles and abstracts of articles, original, selected, translated, and illustrated, from the pens of the leading scientific men of different countries. Accounts of important scientific discoveries, the application of science to the practical arts, and the latest views put forth concerning natural phenomena, have been given by *savants* of the highest authority. Prominent attention has been also devoted to those various sciences which help to a better understanding of the nature of man, to the bearings of science upon the questions of society and government, to scientific education, and to the conflicts which spring from the progressive nature of scientific knowledge.

THE POPULAR SCIENCE MONTHLY has long since ceased to be an experiment. It has passed into a circulation far beyond the most sanguine hopes at first entertained, and the cordial and intelligent approval which it has everywhere met, shows that its close and instructive discussions have been well appreciated by the reading portion of the American people. It has not been its policy to make boastful promises of great things to be done in the future, but rather to appeal to what it has already accomplished as giving it a claim upon popular patronage. But no pains will be spared to improve it and make it still more worthy of liberal support, and still more a necessity to the cultivated classes of the country.

The following quotations illustrate the way it has been habitually spoken of by the press:

"That there is a place for THE POPULAR SCIENCE MONTHLY, no one can doubt who has watched the steady increase of interest in scientific investigation manifested in this country, not only by a select class, but by the entire community."—*New York Times.*

"We think it is not too much to say that this is the best *first number* of any magazine ever published in America."—*New York World.*

"A journal which promises to be of eminent value to the cause of popular education in this country."—*New York Tribune.*

"It is, beyond comparison, the best attempt at journalism of the kind ever made in this country."—*Home Journal.*

"It is just what is wanted by the curious and progressive mind of this country, and ought to be widely circulated."—*New York Evening Post.*

"It is the first successful attempt in this country to popularize science in the pages of a monthly."—*N. Y. School Journal.*

"THE MONTHLY has more than fulfilled all the promises which the publishers made in the prospectus of publication."—*Niagara Falls Gazette.*

"This is a highly-auspicious beginning of a useful and much-needed enterprise in the way of publication, for which the public owe a special debt of obligation to Messrs. D. Appleton & Co."—*Boston Gazette.*

"This new magazine, in our estimation, has more merit than the whole brood which have preceded it."—*Oswego Press.*

"In our opinion, the right idea has been happily hit in the plan of this new monthly."—*Buffalo Courier.*

"This is one of the very best periodicals of its kind published in the world. Its corps of contributors comprise many of the ablest minds known to science and literature. It is doing a great and noble work in popularizing science, promoting the growth of reason, and leveling the battlements of old superstitions reared in the childhood of our race before it was capable of reasoning."—*The American Medical Journal, St. Louis, Mo.*

"This magazine is worth its weight in gold, for its service in educating the people."—*The American Journal of Education, St. Louis, Mo.*

THE POPULAR SCIENCE MONTHLY is published in a large octavo, handsomely printed on clear type, and, when the subjects admit, fully illustrated. Each number contains 128 pages.

Terms: $5 per Annum, or Fifty Cents per Number.

POSTAGE FREE TO ALL SUBSCRIBERS IN THE UNITED STATES, FROM JANUARY 1, 1875.

A new volume of the POPULAR SCIENCE begins with the numbers for May and November each year. Subscriptions may commence from any date. Back numbers supplied.

Now Ready, Vols. I., II., III., IV., V., VI., VII., VIII., and IX., of The Popular Science Monthly, embracing the Numbers from 1 to 54 (May, 1872, to October, 1876). 9 vols., 8vo. Cloth, $3.50 per vol. Half Morocco, $6.50 per vol.

For Sale, Binding Cases for Vols. I., II., III., IV., V., VI., VII., VIII., and IX., of The Popular Science Monthly. These covers are prepared expressly for binding the volumes of THE POPULAR SCIENCE MONTHLY as they appear, and will be sent to Subscribers on receipt of price. Any binder can attach the covers at a trifling expense. Price, 50 cents each.

AGENTS WANTED.

ADDRESS *D. APPLETON & CO., Publishers,*
549 & 551 Broadway, New York.

APPLETONS' JOURNAL:

A MONTHLY MISCELLANY OF POPULAR LITERATURE.

NEW SERIES.

TWENTY-FIVE CENTS PER NUMBER. THREE DOLLARS PER ANNUM.

APPLETONS' JOURNAL is now published monthly; it is devoted to popular literature and all matters of taste and general culture—published at a price to bring it within the reach of all classes. It contains superior fiction, in the form of serials and short stories; papers graphically descriptive of picturesque places; articles upon men of note, and upon the habits of different peoples; essays upon household and social topics; articles of travel and adventure; scientific and industrial articles written in a graphic and popular style. In brief, the aim is to be comprehensive, including in its plan all branches of literature and all themes of interest to intelligent readers. Each number is illustrated.

TERMS: Three dollars per annum, postage prepaid, to all subscribers in the United States; or Twenty-five Cents per number. A Club of Four Yearly Subscriptions will entitle the sender to an extra subscription gratis; that is, five copies will be sent one year for twelve dollars. For $7.20, APPLETONS' JOURNAL and THE POPULAR SCIENCE MONTHLY (full price, eight dollars), postage prepaid.

THE POPULAR SCIENCE MONTHLY.

CONDUCTED BY E. L. YOUMANS.

This periodical was started (in 1872) to promote the diffusion of valuable scientific knowledge, in a readable and attractive form, among all classes of the community, and has thus far met a want supplied by no other magazine in the United States.

Containing instructive and interesting articles and abstracts of articles, original, selected, translated, and illustrated, from the pens of the leading scientific men of different countries; accounts of important scientific discoveries, the application of science to the practical arts, and the latest views put forth concerning natural phenomena, have been given by *savants* of the highest authority. Prominent attention has been also devoted to those various sciences which help to a better understanding of the nature of man, to the bearings of science upon the questions of society and government, to scientific education, and to the conflicts which spring from the progressive nature of scientific knowledge.

THE POPULAR SCIENCE MONTHLY is published monthly in a large octavo, handsomely printed on clear type, and, when the subjects admit, fully illustrated. Each number contains 128 pages.

TERMS: $5.00 per annum, or Fifty Cents per Number. Postage free to all Subscribers in the United States.

THE ART JOURNAL:

An International Gallery of Engravings,

BY DISTINGUISHED ARTISTS OF EUROPE AND AMERICA;

WITH ILLUSTRATED PAPERS IN THE VARIOUS BRANCHES OF ART.

THE ART JOURNAL is a quarto monthly publication, superbly illustrated and printed, and specially devoted to the world of Art—Painting, Sculpture, Architecture, Decoration, Engraving, Etching, Enameling, and Designing in all its branches—having in view the double purpose of supplying a complete illustrated record of progress in the Arts, and of affording a means for the cultivation of Art-taste among the people. Each number is richly and abundantly illustrated on both steel and wood, and no pains are spared to render this "ART JOURNAL" the most valuable publication of the kind in the world. It contains the Steel Plates and Illustrations of the LONDON ART JOURNAL, a publication of world-wide fame (the exclusive right of which, for Canada and the United States, has been purchased by the publishers); with *extensive additions devoted principally to American Art and American topics. Published monthly. Sold only by Subscription.* Price, 75 Cents per Number; $9.00 per Annum, postage prepaid.

Subscriptions received by the Publishers, or their Agents. AGENCIES: 22 Hawley St., Boston; 922 Chestnut St., Philadelphia; 22 Post-Office Avenue, Baltimore; 53 Ninth St., Pittsburg; 100 State St., Albany; 42 State St., Rochester; 103 State St., Chicago; 30 W. 4th St., Cincinnati; 305 Locust St., St. Louis; 20 St. Charles St, New Orleans; 230 Sutter St., San Francisco.

D. APPLETON & CO., Publishers, 549 & 551 Broadway, N. Y.

APPLETONS'

AMERICAN CYCLOPÆDIA.

NEW REVISED EDITION.

Entirely rewritten by the ablest writers on every subject. Printed from new type, and illustrated with Several Thousand Engravings and Maps.

The work originally published under the title of THE NEW AMERICAN CYCLOPÆDIA was completed in 1863, since which time the wide circulation which it has attained in all parts of the United States, and the signal developments which have taken place in every branch of science, literature, and art, have induced the editors and publishers to submit it to an exact and thorough revision, and to issue a new edition entitled THE AMERICAN CYCLOPÆDIA.

Within the last ten years the progress of discovery in every department of knowledge has made a new work of reference an imperative want.

The movement of political affairs has kept pace with the discoveries of science, and their fruitful application to the industrial and useful arts and the convenience and refinement of social life. Great wars and consequent revolutions have occurred, involving national changes of peculiar moment. The civil war of our own country, which was at its height when the last volume of the old work appeared, has happily been ended, and a new course of commercial and industrial activity has been commenced.

Large accessions to our geographical knowledge have been made by the indefatigable explorers of Africa.

The great political revolutions of the last decade, with the natural result of the lapse of time, have brought into public view a multitude of new men, whose names are in every one's mouth, and of whose lives every one is curious to know the particulars. Great battles have been fought, and important sieges maintained, of which the details are as yet preserved only in the newspapers, or in the transient publications of the day, but which ought now to take their place in permanent aud authentic history.

In preparing the present edition for the press, it has accordingly been the aim of the editors to bring down the information to the latest possible dates, and to furnish an accurate account of the most recent discoveries in science, of every fresh production in literature, and the newest inventions in the practical arts, as well as to give a succinct and original record of the progress of political and historical events.

The work has been begun after long and careful preliminary labor, and with the most ample resources for carrying it on to a successful termination.

None of the original stereotype plates have been used, but every page has been printed on new type, forming in fact a new Cyclopædia, with the same plan and compass as its predecessor, but with a far greater pecuniary expenditure, and with such improvements in its composition as have been suggested by longer experience and enlarged knowledge.

The illustrations, which are introduced for the first time in the present edition, have been added not for the sake of pictorial effect, but to give greater lucidity and force to the explanations in the text. They embrace all branches of science and of natural history, and depict the most famous and remarkable features of scenery, architecture, and art, as well as the various processes of mechanics and manufactures. Although intended for instruction rather than embellishment, no pains have been spared to insure their artistic excellence; the cost of their execution is enormous, and it is believed that they will find a welcome reception as an admirable feature of the Cyclopædia, and worthy of its high character.

This work is sold to subscribers only, payable on delivery of each volume. It is completed in sixteen large octavo volumes, each containing about 800 pages, fully illustrated with several thousand Wood Engravings, and with numerous colored Lithographic Maps.

PRICE AND STYLE OF BINDING.

In extra cloth, per vol.	$5.00	*In half russia, extra gilt, per vol.* .	$8.00
In library leather, per vol. . . .	6.00	*In full morocco antique, gilt edges, per vol.*	10.00
In half turkey morocco, per vol. . .	7.00	*In full russia, per vol.*	10.00

*** Specimen pages of the AMERICAN CYCLOPÆDIA, showing type, illustrations, etc., will be sent gratis, on application.

D. APPLETON & CO., PUBLISHERS,

549 & 551 Broadway, New York.

DESCRIPTIVE CATALOGUE

OF

MEDICAL WORKS.

INDEX OF SUBJECTS.

	PAGE
Anatomy	16
Anæsthesia	26
Acne	4
Body and Mind	18
Breath, and Diseases which give it a Fetid Odor	16
Cerebral Convolutions	7
Chemical Examination of the Urine in Disease	8
Chemical Analysis	14
" Technology	31
Chemistry of Common Life	17
Clinical Electro-Therapeutics	12
" Lectures and Essays	24
Comparative Anatomy	6
Club-foot	27
Diseases of the Nervous System	10, 12, 18
" " " Bones	20
" " Women	26, 27
" " the Chest	26
" " Children	25, 29
" " the Rectum	28
" " " Ovaries	31
Emergencies	15
Electricity and Practical Medicine	19
Foods	27
Galvano-Therapeutics	20
Hospitalism	26
Histology and Histo-Chemistry of Man	8
Infancy	6
Insanity in its Relation to Crime	12
Materia Medica and Therapeutics	5, 23
Medical Journal	32
Mental Physiology	6
Midwifery	26, 27
Mineral Springs	30
Neuralgia	2
Nervous System	12, 13
Nursing	22
Obstetrics	3, 7, 26, 27
Ovarian Tumors	23
" Diagnosis and Treatment	30
Paralysis from Brain-Disease	3
Physiology	6, 9, 10, 11
Physiology of Common Life	17
Physiology and Pathology of the Mind	18
Physiological Effects of Severe Muscular Exercise	12
Pulmonary Consumption	4
Practical Medicine	21
Physical Cause of the Death of Christ	26
Popular Science	32
Puerperal Diseases	2
Reports	24
Recollections of Past Life	15
" of the Army of the Potomac	17
Responsibility in Mental Diseases	18
Sea-Sickness	2
Surgical Pathology	4
" Diseases of the Male Genito-Urinary Organs	28
Surgery, Conservative	2
" Orthopedic	25
Syphilis	28
Science	32
Skin-Diseases	22
Therapeutics	5
Uterine Therapeutics	27
Winter and Spring	4

D. APPLETON & CO.,

PUBLISHERS AND IMPORTERS,

549 & 551 *BROADWAY, NEW YORK.*

1876.

ANSTIE.

Neuralgia, *and Diseases which resemble it.*

By FRANCIS E. ANSTIE, M. D., F. R. C. P.,

Senior Assistant Physician to Westminster Hospital; Lecturer on Materia Medica in Westminster Hospital School; and Physician to the Belgrave Hospital for Children; Editor of "The Practitioner" (London), etc.

1 vol., 12mo. Cloth, $2.50.

"It is a valuable contribution to scientific medicine."—*The Lancet* (*London*).

BARKER.

The Puerperal Diseases. *Clinical Lectures delivered at Bellevue Hospital.*

By FORDYCE BARKER, M. D.,

Clinical Professor of Midwifery and the Diseases of Women in the Bellevue Hospital Medical College; Obstetric Physician to Bellevue Hospital; Consulting Physician to the New York State Women's Hospital; Fellow of the New York Academy of Medicine; formerly President of the Medical Society of the State of New York; Honorary Fellow of the Obstetrical Societies of London and Edinburgh; Honorary Fellow of the Royal Medical Society of Athens, Greece, etc., etc., etc.

Third Edition. 1 vol., 8vo. Cloth. 526 pages. Price, $5; Sheep, $6.

"For nearly twenty years it has been my duty, as well as my privilege, to give clinical lectures at Bellevue Hospital, on midwifery, the puerperal and the other diseases of women. This volume is made up substantially from phonographic reports of the lectures which I have given on the puerperal diseases. Having had rather exceptional opportunities for the study of these diseases, I have felt it to be an imperative duty to utilize, so far as lay in my power, the advantages which I have enjoyed for the promotion of science, and, I hope, for the interests of humanity. In many subjects, such as albuminuria, convulsions, thrombosis, and embolism, septicæmia, and pyæmia, the advance of science has been so rapid as to make it necessary to teach something new every year. Those, therefore, who have formerly listened to my lectures on these subjects, and who now do me the honor to read this volume, will not be surprised to find, in many particulars, changes in pathological views, and often in therapeutical teaching, from doctrines before inculcated. At the present day, for the first time in the history of the world, the obstetric department seems to be assuming its proper position, as the highest branch of medicine, if its rank be graded by its importance to society, or by the intellectual culture and ability required, as compared with that demanded of the physician or the surgeon. A man may become eminent as a physician, and yet know very little of obstetrics; or he may be a successful and distinguished surgeon, and be quite ignorant of even the rudiments of obstetrics. But no one can be a really able obstetrician unless he be both physician and surgeon. And, as the greater includes the less, obstetrics should rank as the highest department of our profession."—*From Author's Preface.*

On Sea-Sickness. By FORDYCE BARKER, M. D.

1 vol., 16mo. 36 pp. Flexible Cloth, 75 cents.

Reprinted from the New York Medical Journal. By reason of the great demand for the number of that journal containing the paper, it is now presented in book-form, with such prescriptions added as the author has found useful in relieving the suffering from sea-sickness.

BUCK.

Contributions to Reparative Surgery: *Showing its Application to the Treatment of Deformities, produced by Destructive Disease or Injury; Congenital Defects from Arrest or Excess of Development; and Cicatricial Contractions from Burns.*

By GURDON BUCK, M. D.

Illustrated by Numerous Engravings. 1 vol., 8vo.

BARNES.

Obstetric Operations, *including the Treatment of Hæmorrhage, and forming a Guide to the Management of Difficult Labor.*

By ROBERT BARNES, M. D., London, F. R. C. P.,

Obstetric Physician and Lecturer on Obstetrics and the Diseases of Women and Children to St. George's Hospital; Examiner in Obstetrics to the Royal College of Physicians and the Royal College of Surgeons; President of the Metropolitan Branch of the British Medical Association; late Examiner to the University of London; formerly Obstetric Physician to the London and to St. Thomas Hospitals; and late Physician to the Eastern Division of the Royal Maternity Charity.

Third Edition. Revised and extended. 1 vol., 8vo. 606 pages. Cloth, $4.50.

"Such a work as Dr. Barnes's was greatly needed. It is calculated to elevate the practice of the obstetric art in this country, and to be of great service to the practitioner."—*Lancet.*

"The book of Dr. Barnes is not, properly speaking, a dogmatic treatise on obstetric operations. It is a series of original lectures, comprising, at one and the same time, a practical analysis of the serious accidents in parturition, the reasoned-out indications for, and the most judicious researches in the manner of operating, the method to choose, the instrument to prefer, and the details of the manœuvres required to insure success. The clearness of the style is perfect. The order, without being altogether rigorous, is what it is able to be generally in a series of clinical lectures. The description of the instruments, the application of the forceps, cephalotripsy, embryotomy, Cæsarean section, the practical reflections on narrowing and malformation of the pelvis, ruptures of the uterus, placenta prævia, hæmorrhage, and, in fact, all the grand questions in obstetrics are treated with accurate good sense. At each instant, by some remark or other, is revealed a superior mind, ripened by having seen much and meditated much."—*From Preface to the French Edition by Prof. Pajot.*

BASTIAN.

Paralysis from Brain Disease in its *Common Forms.*

By H. CHARLTON BASTIAN, M. A., M. D., F. R. S.,

Fellow of the Royal College of Physicians; Professor of Pathological Anatomy in University College, London; Physician to University College Hospital; and Senior Assistant Physician to the National Hospital for the Paralyzed and Epileptic.

With Illustrations. 1 vol., 12mo. Cloth. $1.75.

PREFACE.

These Lectures were delivered in University College Hospital last year, at a time when I was doing duty for one of the senior physicians, and during the same year—after they had been reproduced from very full notes taken by my friend Mr. John Tweedy—they appeared in the pages of *The Lancet.*

They are now republished at the request of many friends, though only after having undergone a very careful revision, during which a considerable quantity of new matter has been added. It would have been easy to have very much increased the size of the book by the introduction of a larger number of illustrative cases, and by treatment of many of the subjects at greater length, but this the author has purposely abstained from doing, under the belief that in its present form it is likely to prove more acceptable to students, and also perhaps more useful to busy practitioners.

Notwithstanding its defects and many shortcomings, the author is not without a hope that this little book may be considered in some measure to supply a deficiency which has long existed in medical literature. No department of medicine stands more in need of being represented in a text book of moderate compass; so that, imperfect as it is, this small work may perhaps be of some service till it is superseded by something better. In it the author has endeavored to treat the subject with more precision than has hitherto been customary, and, while the lectures contain some novelties in method and mode of exposition, he hopes they may also be found not unfaithfully to embody the principal facts at present known concerning this very important class of diseases.

BENNET.

On the Treatment of Pulmonary Consumption, *by Hygiene, Climate, and Medicine, in its Connection with Modern Doctrines.*

By JAMES HENRY BENNET, M. D.,
Member of the Royal College of Physicians, London; Doctor of Medicine of the University of Paris, etc., etc.

1 vol., thin 8vo. Cloth, $1.50.

An interesting and instructive work, written in the strong, clear, and lucid manner which appears in all the contributions of Dr. Bennet to medical or general literature.

"We cordially commend this book to the attention of all, for its practical common-sense views of the nature and treatment of the scourge of all temperate climates, pulmonary consumption."—*Detroit Review of Medicine.*

Winter and Spring on the Shores of *the Mediterranean; or, the Riviera, Mentone, Italy, Corsica, Sicily, Algeria, Spain, and Biarritz, as Winter Climates.*

This work embodies the experience of ten winters and springs passed by Dr. Bennet on the shores of the Mediterranean, and contains much valuable information for physicians in relation to the health-restoring climate of the regions described.

1 vol., 12mo. 621 pp. Cloth, $3.50.

"Exceedingly readable, apart from its special purposes, and well illustrated."—*Evening Commercial.*

"It has a more substantial value for the physician, perhaps, than for any other class or profession. . . . We commend this book to our readers as a volume presenting two capital qualifications—it is at once entertaining and instructive."—*N. Y. Medical Journal.*

BILLROTH.

General Surgical Pathology and Therapeutics, *in Fifty Lectures. A Text-book for Students and Physicians.*

By Dr. THEODOR BILLROTH.

Translated from the Fifth German Edition, with the special permission of the Author, by
CHARLES E. HACKLEY, A. M., M. D.,
Surgeon to the New York Eye and Ear Infirmary; Physician to the New York Hospital; Fellow of the New York Academy of Medicine, etc.

1 vol., 8vo. 714 pp., and 152 Woodcuts. Cloth, $5.00; Sheep, $6.00.

Professor Theodor Billroth, one of the most noted authorities on Surgical Pathology, gives in this volume a complete *résumé* of the existing state of knowledge in this branch of medical science. The fact of this publication going through four editions in Germany, and having been translated into French, Italian, Russian, and Hungarian, should be some guarantee for its standing.

"The want of a book in the English language, presenting in a concise form the views of the German pathologists, has long been felt; and we venture to say no book could more perfectly supply that want than the present volume. . . . We would strongly recommend it to all who take any interest in the progress of thought and observation in surgical pathology, and surgery."—*The Lancet.*

"We can assure our readers that they will consider neither money wasted in its purchase, nor time in its perusal."—*The Medical Investigator.*

BULKLEY.

Acne; its Pathology, Etiology, Prognosis, *and Treatment.*

By L. DUNCAN BULKLEY, A. M., M. D.,
New York Hospital.

A monograph of about seventy pages, illustrated, founded on an analysis of two hundred cases of various forms of Acne. (*In press.*)

BARTHOLOW.

A New Scientific and Practical Work

on Materia Medica and Therapeutics.

By ROBERTS BARTHOLOW, M. A., M. D.,

Professor of the Theory and Practice of Medicine, and of Clinical Medicine, and formerly Professor of Materia Medica and Therapeutics in the Medical College of Ohio; Physician to the Hospital of the Good Samaritan; Corresponding Member of the New York Neurological Society; Author of a Manual of Hypodermic Medication, of the Russell Prize Essay on Quinine, of the American Medical Association Prize Essay on Atropia, and of the Fiske Fund Prize Essay on the Bromides, etc.

One vol., 8vo. Cloth. 548 pages. Price, $5.00.

In this work, a volume of moderate compass, is condensed the whole subject of Materia Medica and Therapeutics, less the botanical and chemical details. The author has included just that kind of information which is required by the student and practitioner, and has omitted all those details now universally committed to the druggist and apothecary. The official names of individual remedies, and the German and French synonyms, are first given; then follows the list of pharmaceutical preparations, the composition of these and the doses; next the antagonists and incompatibles, and the synergists. The author gives a full account of the physiological actions and the therapeutical applications of remedies, and he is especially full and explicit on these important topics. As he states in his preface: "In describing the physiological action of drugs, two methods may be pursued: to present in chronological order a summary of the opinions of various authorities on the subject in question; or to condense in a connected description that view of the subject which seems to the author most consonant with all the facts. I have adopted the latter plan, from a conviction of its advantages for the student, and of its utility for the practitioner."

The utmost brevity consistent with clearness is kept in view throughout. A very considerable portion of the book is devoted to the therapeutical applications of remedies. The author states on this point: "As respects the therapeutical applications of remedies, I have, as far as practicable, based them on the physiological actions. Many empirical facts are, however, well founded in professional experience. Although convinced that the most certain acquisitions to therapeutical knowledge must come through the physiological method, I am equally clear that well-established empirical facts should not be omitted, even if they are not explicable by any of the known physiological properties of the remedies under discussion." The practitioner will find in the therapeutical portion of the work numerous valuable formulæ, adapted to the exigencies of practice.

This treatise discusses subjects not heretofore introduced into therapeutical works. The chapter on *Aliment* is quite full, and includes such topics as animal and vegetable aliment, special plans of diet, denutrition, dry diet, vegetable diet, animal diet, milk-diet, alimentation in acute diseases, in cachectic diseases, nutrient enemata, etc. The importance of knowledge on these subjects can hardly be over-estimated.

Part I. treats of "the modes in which medicines are introduced into the organism."

Part II. treats of "the actions and uses of remedial agents," under the several subdivisions of "agents promoting constructive metamorphosis," "agents promoting destructive metamorphosis," "agents used to modify the functions of the nervous system," and "agents used to cause some evacuation from the body."

Part III. treats of "topical remedies," and includes such topics as "Antiseptics," "Counter-irritants," "Epispastics," "Acupuncture," "Baunscheidtismus," "Aquapuncture," "Bloodletting," "Escharotics," "Emollients, Demulcents, and Protectives."

Scarcely any topic in therapeutics fails to receive attention, and all are discussed with great conciseness, but clearly and adequately.

CARPENTER.

Principles of Mental Physiology, *with their Applications to the Training and Discipline of the Mind and the Study of its Morbid Conditions.*

By WILLIAM B. CARPENTER, M. D., LL. D., F. R. S., F. L. S., F. G. S.,

Registrar of the University of London; Corresponding Member of the Institute of France and of the American Philosophical Society, etc.

1 vol., 8vo. Price, $3.00.

"Among the numerous eminent writers this country has produced, none are more deserving of praise for having attempted to apply the results of Physiological Research to the explanation of the mutual relations of the mind and body than Dr. Carpenter. To him belongs the merit of having scientifically studied and of having in many instances supplied a rational explanation of those phenomena which, under the names of mesmerism, spirit-rapping, electro-biology, and hypnotism, have attracted so large an amount of attention during the last twenty years. . . . We must conclude by recommending Dr. Carpenter's work to the members of our own profession as applying many facts, that have hitherto stood isolated, to the explanation of the functions of the brain and to psychological processes generally."—*The Lancet.*

COMBE.

The Management of Infancy, *Physiological and Moral. Intended chiefly for the Use of Parents.*

By ANDREW COMBE, M. D.

REVISED AND EDITED

By Sir JAMES CLARK, K. C. B., M. D., F. R. S.,

Physician-in-ordinary to the Queen.

First American from the Tenth London Edition. 1 vol., 12mo. 302 pp. Cloth, $1.50.

"This excellent little book should be in the hand of every mother of a family; and, if some of our lady friends would master its contents, and either bring up their children by the light of its teachings, or communicate the truths it contains to the poor by whom they are surrounded, we are convinced that they would effect infinitely more good than by the distribution of any number of tracts whatever. . . . We consider this work to be one of the few popular medical treatises that any practitioner may recommend to his patients; and, though, if its precepts are followed, he will probably lose a few guineas, he will not begrudge them if he sees his friend's children grow up healthy, active, strong, and both mentally and physically capable."—*The Lancet.*

CHAUVEAU.

The Comparative Anatomy of the *Domesticated Animals.*

By A. CHAUVEAU,

PROFESSOR AT THE LYONS VETERINARY SCHOOL.

Second edition, revised and enlarged, with the coöperation of S. ARLOING, late Principal of Anatomy at the Lyons Veterinary School; Professor at the Toulouse Veterinary School. Translated and edited by GEORGE FLEMING, F. R. G. S., M. A. I., Veterinary Surgeon, Royal Engineers.

1 vol., 8vo. Cloth. 957 pp., with 450 Illustrations. Price, $6.00.

DAVIS.

Conservative Surgery, *as exhibited in remedying some of the Mechanical Causes that operate injuriously both in Health and Disease. With Illustrations.*

By HENRY G. DAVIS, M. D.,

Member of the American Medical Association, etc., etc.

1 vol., 8vo. 315 pp. Cloth, $3.00.

The author has enjoyed rare facilities for the study and treatment of certain classes of disease, and the records here presented to the profession are the gradual accumulation of over thirty years' investigation.

"Dr. Davis, bringing, as he does to his specialty, a great aptitude for the solution of mechanical problems, takes a high rank as an orthopedic surgeon, and his very practical contribution to the literature of the subject is both valuable and opportune. We deem it worthy of a place in every physician's library. The style is unpretending, but trenchant, graphic, and, best of all, quite intelligible."—*Medical Record.*

ECKER.

The Cerebral Convolutions of Man, *represented according to Personal Investigations, especially on their Development in the Fœtus, and with reference to the Use of Physicians.*

By ALEXANDER ECKER,

Professor of Anatomy and Comparative Anatomy in the University of Freiburg.

Translated from the German by Robert T. Edes, M. D.

1 vol., 8vo. 87 pp. $1.25.

"The work of Prof. Ecker is noticeable principally for its succinctness and clearness, avoiding long discussions on undecided points, and yet sufficiently furnished with references to make easy its comparisons with the labors of others in the same direction.

"Entire originality in descriptive anatomy is out of the question, but the facts verified by our author are here presented in a more intelligible manner than in any other easily-accessible work.

"The knowledge to be derived from this work is not furnished by any other text-book in the English language."—*Boston Medical and Surgical Journal, January* 20, 1873.

ELLIOT.

Obstetric Clinic. *A Practical Contribution to the Study of Obstetrics, and the Diseases of Women and Children.*

By the late GEORGE T. ELLIOT, M. D.,

Late Professor of Obstetrics and Diseases of Women and Children in the Bellevue Hospital Medical College; Physician to Bellevue Hospital and to the New York Lying-in Asylum; Consulting Physician to the Nursery and Child's Hospital; Consulting Surgeon to the State Woman's Hospital; Corresponding Member of the Edinburgh Obstetrical Society and of the Royal Academy of Havana; Fellow of the N. Y. Academy of Medicine; Member of the County Medical Society, of the Pathological Society, etc., etc.

1 vol., 8vo. 458 pp. Cloth, $4.50.

This work is, in a measure, a *résumé* of separate papers previously prepared by the late Dr. Elliot; and contains, besides, a record of nearly two hundred important and difficult cases in midwifery, selected from his own practice. It has met with a hearty reception, and has received the highest encomiums both in this country and in Europe.

FREY.

The Histology and Histo-Chemistry

of Man. A Practical Treatise on the Elements of Composition and Structure of the Human Body.

By HEINRICH FREY,
Professor of Medicine in Zurich.

Translated from the Fourth German Edition, by Arthur E. J. Barker,
Surgeon to the City of Dublin Hospital; Demonstrator of Anatomy, Royal College of Surgeons, Ireland; Visiting Surgeon, Convalescent Home, Stillorgan; and revised by the Author. With 680 Engravings.

1 vol., 8vo. Cloth, $5.00; Sheep, $6.00.

CONTENTS.

The Elements of Composition and of Structure of the Body: Elements of Composition—Albuminous or Protein Compounds, Hæmoglobulin, Histogenic Derivatives of the Albuminous Substances or Albuminoids, the Fatty Acids and Fats, the Carbohydrates, Non-Nitrogenous Acids, Nitrogenous Acids, Amides, Amido-Acids, and Organic Bases, Animal Coloring Matters, Cyanogen Compounds, Mineral Constituents; Elements of Structure—the Cell, the Origin of the Remaining Elements of Tissue; the Tissues of the Body—Tissues composed of Simple Cells, with Fluid Intermediate Substance, Tissues composed of Simple Cells, with a small amount of Solid Intermediate Substance, Tissues belonging to the Connective-Substance Group, Tissues composed of Transformed, and, as a rule, Cohering Cells, with Homogeneous, Scanty, and more or less Solid Intermediate Substance, Composite Tissues: The Organs of the Body—Organs of the Vegetative Type, Organs of the Animal Group.

FLINT.

Manual of Chemical Examination of

the Urine in Disease. With Brief Directions for the Examination of the most Common Varieties of Urinary Calculi.

By AUSTIN FLINT, Jr., M.D.,

Professor of Physiology and Microscopy in the Bellevue Hospital Medical College; Fellow of the New York Academy of Medicine; Member of the Medical Society of the County of New York; Resident Member of the Lyceum of Natural History in the City of New York, etc.

Third Edition, revised and corrected. 1 vol., 12mo. 77 pp. Cloth, $1.00.

The chief aim of this little work is to enable the busy practitioner to make for himself, rapidly and easily, all ordinary examinations of Urine; to give him the benefit of the author's experience in eliminating little difficulties in the manipulations, and in reducing processes of analysis to the utmost simplicity that is consistent with accuracy.

"We do not know of any work in English so complete and handy as the Manual now offered to the Profession by Dr. Flint, and the high scientific reputation of the author is a sufficient guarantee of the accuracy of all the directions given."—*Journal of Applied Chemistry.*

"We can unhesitatingly recommend this Manual."—*Psychological Journal.*

"Eminently practical."—*Detroit Review of Medicine.*

FLINT.

The Physiology of Man. *Designed to represent the Existing State of Physiological Science as applied to the Functions of the Human Body.*

By AUSTIN FLINT, JR., M. D.,

Professor of Physiology and Microscopy in the Bellevue Hospital Medical College, and in the Long Island College Hospital; Fellow of the New York Academy of Medicine; Microscopist to Bellevue Hospital.

New and thoroughly revised Edition. In Five Volumes. 8vo. Tinted Paper.

Volume I.—*The Blood; Circulation; Respiration.*

8vo. 502 pp. Cloth, $4.50.

"If the remaining portions of this work are compiled with the same care and accuracy, the whole may vie with any of those that have of late years been produced in our own or in foreign languages."—*British and Foreign Medico-Chirurgical Review.*

"As a book of general information it will be found useful to the practitioner, and, as a book of reference, invaluable in the hands of the anatomist and physiologist."—*Dublin Quarterly Journal of Medical Science.*

"The complete work will prove a valuable addition to our systematic treatises on human physiology."—*The Lancet.*

"To those who desire to get in one volume a concise and clear, and at the same time sufficiently full *résumé* of 'the existing state of physiological science,' we can heartily recommend Dr. Flint's work. Moreover, as a work of typographical art it deserves a prominent place upon our library-shelves. Messrs. Appleton & Co. deserve the thanks of the profession for the very handsome style in which they issue medical works. They give us hope of a time when it will be very generally believed by publishers that physicians' eyes are worth saving."—*Medical Gazette.*

Volume II. — *Alimentation; Digestion; Absorption; Lymph and Chyle.*

8vo. 556 pp. Cloth, $4.50.

"The second instalment of this work fulfils all the expectations raised by the perusal of the first. . . . The author's explanations and deductions bear evidence of much careful reflection and study. . . . The entire work is one of rare interest. The author's style is as clear and concise as his method is studious, careful, and elaborate."—*Philadelphia Inquirer.*

"We regard the two treatises already issued as the very best on human physiology which the English or any other language affords, and we recommend them with thorough confidence to students, practitioners, and laymen, as models of literary and scientific ability."—*N. Y. Medical Journal.*

"We have found the style easy, lucid, and at the same time terse. The practical and positive results of physiological investigation are succinctly stated, without, it would seem, extended discussion of disputed points."—*Boston Medical and Surgical Journal.*

"It is a volume which will be welcome to the advanced student, and as a work of reference."—*The Lancet.*

"The leading subjects treated of are presented in distinct parts, each of which is designed to be an exhaustive essay on that to which it refers."—*Western Journal of Medicine.*

Flint's Physiology. Volume III.—*Secretion; Excretion; Ductless Glands; Nutrition; Animal Heat; Movements; Voice and Speech.*

8vo. 526 pp. Cloth, $4.50.

"Dr. Flint's reputation is sufficient to give a character to the book among the profession, where it will chiefly circulate, and many of the facts given have been verified by the author in his laboratory and in public demonstration."—*Chicago Courier.*

"The author bestows judicious care and labor. Facts are selected with discrimination, theories critically examined, and conclusions enunciated with commendable clearness and precision."—*American Journal of the Medical Sciences.*

Volume IV.—*The Nervous System.*

8vo. Cloth, $4.50.

This volume embodies the results of exhaustive study, and of a long and laborious series of experiments, presented in a manner remarkable for its strength and clearness. No other department of physiology has so profound an interest for the modern and progressive physician as that pertaining to the nervous system. The diseases of this system are now engaging the study and attention of some of the greatest minds in the medical world, and in order to follow their brilliant discoveries and developments, especially in connection with the science of electrology, it is absolutely necessary to obtain a clear and settled knowledge of the anatomy and physiology of the nervous system. It is the design of this work to impart that knowledge free from the perplexing speculations and uncertainties that have no real value for the practical student of medicine. The author boldly tests every theory for himself, and asks his readers to accept nothing that is not capable of demonstration. The properties of the cerebro-spinal, nervous, and sympathetic systems are treated of in a manner at once lucid, thorough, and interesting.

Although this volume is one, perhaps the most important one, of the author's admirable series in the Physiology of Man, it is nevertheless complete in itself, and may be safely pronounced indispensable to every physician who takes a pride and interest in the progress of medical science.

Volume V.—*Special Senses; Generation.*

8vo. Cloth, $4.50.

"The present volume completes the task, begun eleven years ago, of preparing a work, intended to represent the existing state of physiological science, as applied to the functions of the human body. The kindly reception which the first four volumes have received has done much to sustain the author in an undertaking, the magnitude of which he has appreciated more and more as the work has progressed.

"In the fifth and last volume, an attempt has been made to give a clear account of the physiology of the special senses and generation, a most difficult and delicate undertaking. . . .

"Finally, as regards the last, as well as the former volumes, the author can only say that he has spared neither time nor labor in their preparation; and the imperfections in their execution have been due to deficiency in ability and opportunity. He indulges the hope, however, that he has written a book which may assist his fellow-workers, and interest, not only the student and practitioner of medicine, but some others who desire to keep pace with the progress of Natural Science."—*Extracts from Preface.*

Flint's Text-Book of Human Physiology, *for the Use of Students and Practitioners of Medicine.*

In one large octavo volume of 978 pages, elegantly printed on fine paper, and profusely illustrated with three Lithographic Plates and 313 Engravings on Wood. Price, in cloth, $6.00; sheep, $7.00.

While Prof. Flint's "Physiology of Man," in five octavo volumes, also published by D. Appleton & Co., is invaluable as a book of reference, giving an epitome of the literature of physiology, with copious references to other authors, the publishers have appreciated the necessity for a new text-book, for the use of students and practitioners of medicine.

This new work is intended to meet this pressing want, and it contains most of the facts presented in the larger treatise, without historical references or discussions of minor and controverted questions. The high reputation of the author as a public teacher, and the success of the larger treatise, render it certain that the "Text-book" will be admirably adapted to the wants of medical students.

In the "Text-book," all important points connected with Human Physiology are treated of fully and clearly, and many subjects, such as the Nervous System, the Special Senses, etc., the treatment of which is barren and unsatisfactory in many works written or republished in this country, are brought fully up to the requirements of the day.

The publishers have given great attention to the execution of the illustrations, few of which are familiar to American readers. It being almost impossible to reproduce some of the cuts taken from foreign works, they have succeeded in obtaining abroad about one hundred electrotypes from the original engravings contained in Sappey's great work upon Anatomy, which are unequaled in their mechanical execution. The subject of Generation is also illustrated by lithographic plates taken from Haeckel.

The great care necessary in the printing of the elaborate illustrations has caused an unavoidable delay in the appearance of the work; but the publishers feel confident that it will fully meet their expectations, and justify the reputation of its author.

"In preparing this text-book for the use of students and practitioners of medicine, I have endeavored to adapt it to the wants of the profession, as they have appeared to me after a considerable experience as a public teacher of human physiology. My large treatise in five volumes is here condensed, and I have omitted bibliographical citations and matters of purely historical interest. Many subjects, which were considered rather elaborately in my larger work, are here presented in a much more concise form. I have added, also, numerous illustrations, which I hope may lighten the labors of the student. A few of these are original, but by far the greatest part has been selected from reliable authorities. I have thought it not without historical interest to reproduce exactly some of the classical engravings from the works of great discoverers, such as illustrations contained in the original editions of Fabricius, Harvey, and Asellius. In addition, I have reproduced a few of the beautiful microscopical photographs taken at the United States Army Medical Museum, under the direction of Dr. J. J. Woodward, to whom I here express my grateful acknowledgments. I have also to thank M. Sappey for his kindness in furnishing electrotypes of many of the superb engravings with which his great work upon Anatomy is illustrated.

"My work in five volumes was intended as a book of reference, which I hope will continue to be useful to those who desire an account of the literature of physiology, as well as a statement of the facts of the science. I have always endeavored, in public teaching, to avoid giving undue prominence to points in which I might myself be particularly interested, from having made them subjects of special study or of original research. In my text-book I have carried out the same idea, striving to teach, systematically and with uniform emphasis, what students of medicine are expected to learn in physiology, and avoiding elaborate discussions of subjects not directly connected with practical medicine, surgery, and obstetrics. While I have referred to my original observations upon the location of the sense of want of air in the general system, the new excretory function of the liver, the function of glycogenesis, the influence of muscular exercise upon the elimination of urea, etc., I have not considered these subjects with great minuteness, and have generally referred the reader to monographs for the details of my experiments.

"Finally, in presenting this work to the medical profession, I cannot refrain from an expression of my acknowledgments to the publishers, who have spared nothing in carrying out my views, and have devoted special pains to the mechanical execution of the illustrations."—*Author's Preface.*

FLINT.

On the Physiological Effects of Severe

and Protracted Muscular Exercise. With special reference to its Influence upon the Excretion of Nitrogen.

By AUSTIN FLINT, JR., M. D.,

Professor of Physiology in the Bellevue Hospital Medical College, New York, etc., etc.

1 vol., 8vo. 91 pp. Cloth, $1.00.

This monograph on the relations of Urea to Exercise is the result of a thorough and careful investigation made in the case of Mr. Edward Payson Weston, the celebrated pedestrian. The chemical analyses were made under the direction of R. O. Doremus, M. D., Professor of Chemistry and Toxicology in the Bellevue Hospital Medical College, by Mr. Oscar Loew, his assistant. The observations were made with the coöperation of J. C. Dalton, M. D., Professor of Physiology in the College of Physicians and Surgeons; Alexander B. Mott, M. D., Professor of Surgical Anatomy; W. H. Van Buren, M. D., Professor of Principles of Surgery; Austin Flint, M. D., Professor of the Principles and Practice of Medicine; W. A. Hammond, M. D., Professor of Diseases of the Mind and Nervous System—all of the Bellevue Hospital Medical College.

"This work will be found interesting to every physician. A number of important results were obtained valuable to the physiologist."—*Cincinnati Medical Repertory.*

HAMILTON.

Clinical Electro-Therapeutics. (*Medical and Surgical.*) *A Manual for Physicians for the Treatment more especially of Nervous Diseases.*

By ALLAN McLANE HAMILTON, M. D.,

Physician in charge of the New York State Hospital for Diseases of the Nervous System; Member of the New York Neurological and County Medical Societies, etc., etc.

With Numerous Illustrations. 1 vol., 8vo. Cloth. Price, $2.00.

This work is the compilation of well-tried measures and reported cases, and is intended as a simple guide for the general practitioner. It is as free from confusing theories, technical terms, and unproved statements, as possible. Electricity is indorsed as a very valuable remedy in certain diseases, and as an invaluable therapeutical means in nearly all forms of NERVOUS DISEASE; but not as a specific for every human ill, mental and physical.

HAMMOND.

Insanity in its Relations to Crime. *A Text and a Commentary.*

By WILLIAM A. HAMMOND, M. D.

1 vol., 8vo. 77 pp. Cloth, $1.00.

"A part of this essay, under the title 'Society *versus* Insanity,' was contributed to *Putnam's Magazine*, for September, 1870. The greater portion is now first published. The importance of the subject considered can scarcely be over-estimated, whether we regard it from the stand-point of science or social economy; and, if I have aided in its elucidation, my object will have been attained."—*From Author's Preface.*

Clinical Lectures on Diseases of the *Nervous System. Delivered at the Bellevue Hospital Medical College.*

By WILLIAM A. HAMMOND, M. D.,

Professor of Diseases of the Mind and Nervous System, etc. Edited, with Notes, by T. M. B. CROSS, M. D., Assistant to the Chairs of Diseases of the Mind and Nervous System, etc.

In one handsome volume of 300 pages. Price, $3.50.

HAMMOND.

A Treatise on Diseases of the Nervous System.

By WILLIAM A. HAMMOND, M. D.,

Professor of Diseases of the Mind and Nervous System in the Medical Department of the University of the City of New York; President of the New York Neurological Society, etc., etc.

Sixth Edition. 1 vol., 8vo. Strong Cloth Binding, $6.00; Sheep, $7.00.

The remarkable success attendant on the issue of the five previous editions of this work in less than four years has encouraged the author and publishers to attempt to make the work still more worthy the confidence of the medical profession. A great part of the treatise has been entirely rewritten, and several new chapters have been added. By a change in type, and enlarging the page, the new matter, amounting to one-half of the original work, has been added without increasing materially the bulk of the volume. Many new illustrations have been incorporated in the text, and the whole treatise has been brought fully up to the present time. In addition to the fund of personal observation and experience adduced by Prof. Hammond, the labors of English, French, and German writers have received due attention.

Among the diseases considered in the present edition, which were not treated of in the former editions, are: Chronic Verticalar Meningitis; Chronic Basilar Meningitis; Cervical Pachy-Meningitis; Spinal Paralysis of Adults; Amyotrophic Lateral Spinal Sclerosis; Facial Atrophy; Organic Diseases of Nerves; Chronic Alcoholic Intoxication; Delirium Tremens; Exophthalmic Goitre; and Anapeiratic Paralysis—paralysis induced by a frequent repetition of certain muscular actions. Besides which, extensive alterations and additions have been made to the remarks on other affections—the departments of Morbid Anatomy, Pathology, and Treatment, being especially amplified.

NOTICES OF FORMER EDITIONS.

"Free from useless verbiage and obscurity, it is evidently the work of a man who knows what he is writing about, and knows how to write about it."—*Chicago Medical Journal.*

"Unquestionably the most complete treatise on the diseases to which it is devoted which has yet appeared in the English language."—*London Medical Times and Gazette.*

"This is a valuable and comprehensive book; it embraces many topics, and extends over a wide sphere. One of the most valuable parts of it relates to the Diseases of the Brain; while the remaining portion of the volume treats of the Diseases of the Spinal Cord, the Cerebro-spinal System, the Nerve-Cells, and the Peripheral Nerves."—*British Medical Journal.*

"The work before us is unquestionably the most exhaustive treatise, on the diseases to which it is devoted, that has yet appeared in English. And its distinctive value arises from the fact that the work is no mere *rafficiamento* of old observations, but rests on his own experience and practice, which, as we have before observed, have been very extensive."—*American Journal of Syphilography.*

"The author of this work has attained a high rank among our brethren across the Atlantic from previous labors in connection with the disorders of the nervous system, as well as from various other contributions to medical literature, and he now holds the official appointments of Physician to the New York State Hospital for the Diseases of the Nervous System, and Professor of the same department in the Bellevue Hospital Medical College. The present treatise is the fruit of the experience thus acquired, and we have no hesitation in pronouncing it a most valuable addition to our systematic literature."—*Glasgow Medical Journal.*

HOFFMANN.

Manual of Chemical Analysis, *as applied to the Examination of Medicinal Chemicals and their Preparations. A Guide for the Determination of their Identity and Quality, and for the Detection of Impurities and Adulterations. For the use of Pharmaceutists, Physicians, Druggists, and Manufacturing Chemists, and Pharmaceutical and Medical Students.*

By FRED. HOFFMANN, Phil. D.

One vol., 8vo. Richly Illustrated. Cloth. Price, $3.

SPECIMEN OF ILLUSTRATIONS.



"This volume is a carefully-prepared work, and well up to the existing state of both the science and art of modern pharmacy. It is a book which will find its place in every medical and pharmaceutical laboratory and library, and is a safe and instructive guide to medical students and practitioners of medicine."—*American Journal of Science and Arts.*

In America this work has already met with general and unqualified approval; and in Europe is now being welcomed as one of the best and most important additions to modern pharmaceutical literature.

Send for descriptive circular. Address

D. APPLETON & CO., 549 & 551 Broadway, N. Y. City.

HOLLAND.

Recollections of Past Life,

By SIR HENRY HOLLAND, Bart., M. D., F. R. S., K. C. B., etc.,
President of the Royal Institution of Great Britain, Physician-in-Ordinary to the Queen, etc., etc.

1 vol., 12mo, 351 pp. Price, Cloth, $2.00.

A very entertaining and instructive narrative, partaking somewhat of the nature of autobiography and yet distinct from it, in this, that its chief object, as alleged by the writer, is not so much to recount the events of his own life, as to perform the office of chronicler for others with whom he came in contact and was long associated.

The "Life of Sir Henry Holland" is one to be recollected, and he has not erred in giving an outline of it to the public."—*The Lancet.*

"His memory was—is, we may say, for he is still alive and in possession of all his faculties—stored with recollections of the most eminent men and women of this century. . . . A life extending over a period of eighty-four years, and passed in the most active manner, in the midst of the best society, which the world has to offer, must necessarily be full of singular interest; and Sir Henry Holland has fortunately not waited until his memory lost its freshness before recalling some of the incidents in it."—*The New York Times.*

HOWE.

Emergencies, and How to Treat Them.

The Etiology, Pathology, and Treatment of Accidents, Diseases, and Cases of Poisoning, which demand Prompt Attention. Designed for Students and Practitioners of Medicine.

By JOSEPH W. HOWE, M. D.,

Clinical Professor of Surgery in the Medical Department of the University of New York
Visiting Surgeon to Charity Hospital; Fellow of the New York Academy of Medicine, etc., etc.

1 vol., 8vo. Cloth, $3.00.

"This work has a taking title, and was written by a gentlemen of acknowledged ability, to fill a void in the profession. . . . To the general practitioner in towns, villages, and in the country, where the aid and moral support of a consultation cannot be availed of, this volume will be recognized as a valuable help. We commend it to the profession.—*Cincinnati Lancet and Observer.*

"This work is certainly novel in character, and its usefulness and acceptability are as marked as its novelty. . . . The book is confidently recommended."—*Richmond and Louisville Medical Journal.*

"This volume is a practical illustration of the positive side of the physician's life, a constant reminder of what he is to do in the sudden emergencies which frequently occur in practice. . . . The author wastes no words, but devotes himself to the description of each disease as if the patient were under his hands. Because it is a good book we recommend it most heartily to the profession."—*Boston Medical and Surgical Journal.*

"This work bears evidence of a thorough practical acquaintance with the different branches of the profession. The author seems to possess a peculiar aptitude for imparting instruction as well as for simplifying tedious details. . . . A careful perusal will amply repay the student and practitioner."—*New York Medical Journal.*"

"This is the best work of the kind we have ever seen."—*New York Journal of Psychological Medicine.*

HOWE.

The Breath, and the Diseases which give

it a Fetid Odor. With Directions for Treatment.

By JOSEPH W. HOWE, M. D.,

uthor of "Emergencies," "Winter Homes," etc; Clinical Professor of Surgery in the Medical Department of the University of New York; Visiting Surgeon to Charity and St. Francis Hospitals; Fellow of the New York Academy of Medicine, etc.

"It is somewhat remarkable that the subject of fetid breath, which occasions so much annoyance. . . . should have attracted so little attention from authors and investigators. Hence a thoroughly scientific exposition of the whole subject, such as Dr. Howe has given us, has long been a desideratum. . . . This little volume well deserves the attention of physicians, to whom we commend it most highly."—*Chicago Medical Journal.*

". . . To any one suffering from the affection, either in his own person or in that of his intimate acquaintances, we can commend this volume as containing all that is known concerning the subject, set forth in a pleasant style."—*Philadelphia Medical Times.*

"This little work is on a subject that has heretofore been almost entirely ignored by medical authors, yet its importance is well known by every practitioner. . . . The author gives a succinct account of the diseased conditions in which a fetid breath is an important symptom, with his method of treatment. We consider the work a real addition to medical literature."—*Cincinnati Medical Journal.*

HUXLEY AND YOUMANS.

The Elements of Physiology and Hy-

giene. With Numerous Illustrations.

By THOMAS H. HUXLEY, LL. D., F. R. S., and WILLIAM JAY YOUMANS, M. D.

New and Revised Edition. 1 vol., 12mo. 420 pp. $1.75.

A text-book for educational institutions, and a valuable elementary work for students of medicine. The greater portion is from the pen of Professor Huxley, adapted by Dr. Youmans to the circumstances and requirements of American education. The eminent claim of Professor Huxley's "Elementary Physiology" is, that, while up to the times, it is trustworthy in its presentation of the subject; while rejecting discredited doctrines and doubtful speculations, it embodies the latest results that are established, and represents the present actual state of physiological knowledge.

"A valuable contribution to anatomical and physiological science."—*Religious Telescope.*

"A clear and well arranged work, embracing the latest discoveries and accepted theories."—*Buffalo Commercial.*

"Teeming with information concerning the human physical economy."—*Evening Journal.*

HUXLEY.

The Anatomy of Vertebrated Animals.

By THOMAS HENRY HUXLEY, LL. D., F. R. S.,

Author of "Man's Place in Nature," "On the Origin of Species," "Lay Sermons and Addresses," etc.

1 vol., 12mo. Cloth, $2.50.

The former works of Prof. Huxley leave no room for doubt as to the importance and value of his new volume. It is one which will be very acceptable to all who are interested in the subject of which it treats.

"This long-expected work will be cordially welcomed by all students and teachers of Comparative Anatomy as a compendious, reliable, and, notwithstanding its small dimensions, most comprehensive guide on the subject of which it treats. To praise or to criticise the work of so accomplished a master of his favorite science would be equally out of place. It is enough to say that it realizes, in a remarkable degree, the anticipations which have been formed of it; and that it presents an extraordinary combination of wide, general views, with the clear, accurate, and succinct statement of a prodigious number of individual facts."—*Nature.*

JOHNSON.

The Chemistry of Common Life.

Illustrated with numerous Wood Engravings.

By JAMES F. JOHNSON, M. A., F. R. S., F. G. S., ETC., ETC.,

Author of "Lectures on Agricultural Chemistry and Geology," "A Catechism of Agricultural Chemistry and Geology," etc.

2 vols., 12mo. Cloth, $3.00.

It has been the object of the author in this work to exhibit the present condition of chemical knowledge, and of matured scientific opinion, upon the subjects to which it is devoted. The reader will not be surprised, therefore, should he find in it some things which differ from what is to be found in other popular works already in his hands or on the shelves of his library.

LETTERMAN.

Medical Recollections of the Army of *the Potomac.*

By JONATHAN LETTERMAN, M. D.,

Late Surgeon U. S. A., and Medical Director of the Army of the Potomac.

1 vol., 8vo. 194 pp. Cloth, $1.00.

"This account of the medical department of the Army of the Potomac has been prepared, amid pressing engagements, in the hope that the labors of the medical officers of that army may be known to an intelligent people, with whom to know is to appreciate; and as an affectionate tribute to many, long my zealous and efficient colleagues, who, in days of trial and danger, which have passed, let us hope never to return, evinced their devotion to their country and to the cause of humanity, without hope of promotion or expectation of reward."—*Preface.*

"We venture to assert that but few who open this volume of medical annals, pregnant as they are with instruction, will care to do otherwise than finish them at a sitting."—*Medical Record.*

"A graceful and affectionate tribute."—*N. Y. Medical Journal.*

LEWES.

The Physiology of Common Life.

By GEORGE HENRY LEWES,

Author of "Seaside Studies," "Life of Goethe," etc.

2 vols., 12mo. Cloth, $3.00.

The object of this work differs from that of all others on popular science in its attempt to meet the wants of the student, while meeting those of the general reader, who is supposed to be wholly unacquainted with anatomy and physiology.

MAUDSLEY.

The Physiology and Pathology of the *Mind.*

By HENRY MAUDSLEY, M. D., London,

Fellow of the Royal College of Physicians; Professor of Medical Jurisprudence in University College, London; President-elect of the Medico-Psychological Association; Honorary Member of the Medico-Psychological Society of Paris, of the Imperial Society of Physicians of Vienna, and of the Society for the Promotion of Psychiatry and Forensic Psychology of Vienna; formerly Resident Physician of the Manchester Royal Lunatic Asylum, etc., etc.

1 vol., 8vo. 422 pp. Cloth, $3.00.

This work aims, in the first place, to treat of mental phenomena from a physiological rather than from a metaphysical point of view; and, secondly, to bring the manifold instructive instances presented by the unsound mind to bear upon the interpretation of the obscure problems of mental science.

"Dr. Maudsley has had the courage to undertake, and the skill to execute, what is, at least in English, an original enterprise."—*London Saturday Review.*

"It is so full of sensible reflections and sound truths that their wide dissemination could not but be of benefit to all thinking persons."—*Psychological Journal.*

"Unquestionably one of the ablest and most important works on the subject of which it treats that has ever appeared, and does credit to his philosophical acumen and accurate observation."—*Medical Record.*

"We lay down the book with admiration, and we commend it most earnestly to our readers as a work of extraordinary merit and originality—one of those productions that are evolved only occasionally in the lapse of years, and that serve to mark actual and very decided advantages in knowledge and science."—*N. Y. Medical Journal.*

Body and Mind: *An Inquiry into their Connection and Mutual Influence, especially in reference to Mental Disorders; an enlarged and revised edition to which are added Psychological Essays.*

By HENRY MAUDSLEY, M. D., London,

Author of "The Physiology and Pathology of the Mind."

1 vol., 12mo. 155 pp. Cloth, $1.00.

The general plan of this work may be described as being to bring man, both in his physical and mental relations, as much as possible within the scope of scientific inquiry.

"A representative work, which every one must study who desires to know what is doing in the way of real progress, and not mere chatter, about mental physiology and pathology."—*Lancet.*

"It distinctly marks a step in the progress of scientific psychology."—*The Practitioner.*

Responsibility in Mental Diseases.

By HENRY MAUDSLEY, M. D., London,

Author of "Body and Mind," "Physiology and Pathology of the Mind."

1 vol., 12mo. 313 pp. Cloth, $1.50.

"This book is a compact presentation of those facts and principles which require to be taken into account in estimating human responsibility—not legal responsibility merely, but responsibility for conduct in the family, the school, and all phases of social relation in which obligation enters as an element. The work is new in plan, and was written to supply a wide-felt want which has not hitherto been met."—*The Popular Science Monthly.*

MEYER.

Electricity in its Relations to Practical *Medicine.*

By DR. MORITZ MEYER,
Royal Counsellor of Health, etc.

Translated from the Third German Edition, with Notes and Additions, A New and Revised Edition,

By WILLIAM A. HAMMOND, M. D.,

Professor of Diseases of the Mind and Nervous System, and of Clinical Medicine, in the Bellevue Hospital Medical College; Vice-President of the Academy of Mental Sciences, National Institute of Letters, Arts, and Sciences; late Surgeon-General U. S. A., etc.

1 vol., 8vo. 497 pp. Cloth, $4.50.

"It is the duty of every physician to study the action of electricity, to become acquainted with its value in therapeutics, and to follow the improvements that are being made in the apparatus for its application in medicine, that he may be able to choose the one best adapted to the treatment of individual cases, and to test a remedy fairly and without prejudice, which already, especially in nervous diseases, has been used with the best results, and which promises to yield an abundant harvest in a still broader domain."—*From Author's Preface.*

SPECIMEN OF ILLUSTRATIONS.



Saxton-Ettinghausen Apparatus.

"Those who do not read German are under great obligations to William A. Hammond, who has given them not only an excellent translation of a most excellent work, but has given us much valuable information and many suggestions from his own personal experience."—*Medical Record.*

"Dr. Moritz Meyer, of Berlin, has been for more than twenty years a laborious and conscientious student of the application of electricity to practical medicine, and the results of his labors are given in this volume. Dr. Hammond, in making a translation of the third German edition, has done a real service to the profession of this country and of Great Britain. Plainly and concisely written, and simply and clearly arranged, it contains just what the physician wants to know on the subject."—*N. Y. Medical Journal.*

"It is destined to fill a want long felt by physicians in this country."—*Journal of Obstetrics*

MARKOE.

A Treatise on Diseases of the Bones.

By THOMAS M. MARKOE, M. D.,
Professor of Surgery in the College of Physicians and Surgeons, New York, etc.

WITH NUMEROUS ILLUSTRATIONS.

1 vol., 8vo. Cloth, $4.50.

This valuable work is a treatise on Diseases of the Bones, embracing their structural changes as affected by disease, their clinical history and treatment, including also an account of the various tumors which grow in or upon them. None of the *injuries* of bone are included in its scope, and no *joint* diseases, excepting where the condition of the bone is a prime factor in the problem of disease. As the work of an eminent surgeon of large and varied experience, it may be regarded as the best on the subject, and a valuable contribution to medical literature.

"The book which I now offer to my professional brethren contains the substance of the lectures which I have delivered during the past twelve years at the college. . . . I have followed the leadings of my own studies and observations, dwelling more on those branches where I had seen and studied most, and perhaps too much neglecting others where my own experience was more barren, and therefore to me less interesting. I have endeavored, however, to make up the deficiencies of my own knowledge by the free use of the materials scattered so richly through our periodical literature, which scattered leaves it is the right and the duty of the systematic writer to collect and to embody in any account he may offer of the state of a science at any given period."—*Extract from Author's Preface.*

NEFTEL.

Galvano-Therapeutics. *The Physiological and Therapeutical Action of the Galvanic Current upon the Acoustic, Optic, Sympathetic, and Pneumogastric Nerves.*

By WILLIAM B. NEFTEL.

1 vol., 12mo. 161 pp. Cloth, $1.50.

This book has been republished at the request of several aural surgeons and other professional gentlemen, and is a valuable treatise on the subjects of which it treats. Its author, formerly visiting physician to the largest hospital of St. Petersburg, has had the very best facilities for investigation.

"This little work shows, as far as it goes, full knowledge of what has been done on the subjects treated of, and the author's practical acquaintance with them."—*New York Medical Journal.*

"Those who use electricity should get this work, and those who do not should peruse it to learn that there is one more therapeutical agent that they could and should possess."—*The Medical Investigator.*

NIEMEYER.

A Text-Book of Practical Medicine.

With Particular Reference to Physiology and Pathological Anatomy.

By the late Dr. FELIX VON NIEMEYER,

Professor of Pathology and Therapeutics; Director of the Medical Clinic of the University of Tübingen.

Translated from the Eighth German Edition, by special permission of the Author,

By GEORGE H. HUMPHREYS, M. D.,

Late one of the Physicians to the Bureau of Medical and Surgical Relief at Bellevue Hospital for the Out-door Poor; Fellow of the New York Academy of Medicine, etc.,

and

CHARLES E. HACKLEY, M. D.,

One of the Physicians to the New York Hospital; one of the Surgeons to the New York Eye and Ear Infirmary; Fellow of the New York Academy of Medicine, etc.

Revised Edition. 2 vols., 8vo. 1,528 pp. Cloth, $9.00; Sheep, $11.00.

The author undertakes, first, to give a picture of disease which shall be as lifelike and faithful to nature as possible, instead of being a mere theoretical scheme; secondly, so to utilize the more recent advances of pathological anatomy, physiology, and physiological chemistry, as to furnish a clearer insight into the various processes of disease.

The work has met with the most flattering reception and deserved success; has been adopted as a text-book in many of the medical colleges both in this country and in Europe; and has received the very highest encomiums from the medical and secular press.

"It is comprehensive and concise, and is characterized by clearness and originality."—*Dublin Quarterly Journal of Medicine.*

"Its author is learned in medical literature; he has arranged his materials with care and judgment, and has thought over them."—*The Lancet.*

"As a full, systematic, and thoroughly practical guide for the student and physician, it is not excelled by any similar treatise in any language."—*Appletons' Journal.*

"The author is an accomplished pathologist and practical physician; he is not only capable of appreciating the new discoveries, which during the last ten years have been unusually numerous and important in scientific and practical medicine, but, by his clinical experience, he can put these new views to a practical test, and give judgment regarding them."—*Edinburgh Medical Journal.*

"From its general excellence, we are disposed to think that it will soon take its place among the recognized text-books."—*American Quarterly Journal of Medical Sciences.*

"The first inquiry in this country regarding a German book generally is, 'Is it a work of practical value?' Without stopping to consider the justness of the American idea of the 'practical,' we can unhesitatingly answer, 'It is!'"—*New York Medical Journal.*

"The author has the power of sifting the tares from the wheat—a matter of the greatest importance in a text-book for students."—*British Medical Journal.*

"Whatever exalted opinion our countrymen may have of the author's talents of observation and his practical good sense, his text-book will not disappoint them, while those who are so unfortunate as to know him only by name, have in store a rich treat."—*New York Medical Record*

NIGHTINGALE.

Notes on Nursing: *What it is, and what it is not.*

BY FLORENCE NIGHTINGALE.

1 vol., 12mo. 140 pp. Cloth, 75 cents.

Every-day sanitary knowledge, or the knowledge of nursing, or, in other words, of how to put the constitution in such a state as that it will have no disease or that it can recover from disease, takes a higher place. It is recognized as the knowledge which every one ought to have—distinct from medical knowledge, which only a profession can have.

NEUMANN.

Hand-Book of Skin Diseases.

By DR. ISIDOR NEUMANN,
Lecturer on Skin Diseases in the Royal University of Vienna.

Translated from advanced sheets of the second edition, furnished by the Author; with Notes,

By LUCIUS D. BULKLEY, A. M., M. D.,

Surgeon to the New York Dispensary, Department of Venereal and Skin Diseases; Assistant to the Skin Clinic of the College of Physicians and Surgeons, New York; Member of the New York Dermatological Society, etc., etc.

1 vol., 8vo. About 450 pages and 66 Woodcuts. Cloth, $4.00.

Prof. Neumann ranks second only to Hebra, whose assistant he was for many years and his work may be considered as a fair exponent of the German practice of Dermatology. The book is abundantly illustrated with plates of the histology and pathology of the skin. The translator has endeavored, by means of notes from French, English, and American sources, to make the work valuable to the student as well as to the practitioner.

"It is a work which I shall heartily recommend to my class of students at the University of Pennsylvania, and one which I feel sure will do much toward enlightening the profession on this subject."—*Louis A. Duhring.*

"I know it to be a good book, and I am sure that it is well translated; and it is interesting to find it illustrated by references to the views of co-laborers in the same field."—*Erasmus Wilson.*

"So complete as to render it a most useful book of reference."—*T. McCall Anderson.*

"There certainly is no work extant which deals so thoroughly with the Pathological Anatomy of the Skin as does this hand-book."—*N. Y. Medical Record.*

"The original notes by Dr. Bulkley are very practical, and are an important adjunct to the text. . . . I anticipate for it a wide circulation."—*Silas Durkee, Boston.*

"I have already twice expressed my favorable opinion of the book in print, and am glad that it is given to the public at last."—*James C. White, Boston.*

"More than two years ago we noticed Dr. Neumann's admirable work in its original shape; and we are therefore absolved from the necessity of saying more than to repeat our strong recommendation of it to English readers."—*Practitioner.*

PAGET.

Clinical Lectures and Essays.

By Sir JAMES PAGET, Bart.,

F. R. S., D. C. L., Oxon., LL. D., Cantab.; Sergeant-Surgeon Extraordinary to her Majesty the Queen; Surgeon to H. R. H. the Prince of Wales; Consulting Surgeon to St. Bartholomew's Hospital.

Edited by HOWARD MARSH,

Assistant Surgeon to St. Bartholomew's Hospital, and to the Hospital for Sick Children.

1 vol., 8vo. Cloth. Price, $5.00.

CONTENTS.

The Various Risks of Operations—The Calamities of Surgery—Stammering with other Organs than those of Speech—Cases that Bone-Setters cure—Strangulated Hernia—Chronic Pyæmia—Nervous Mimicry—Treatment of Carbuncle—Sexual Hypochondriasis—Gouty Phlebitis—Residual Abscess—Dissection-Poisons—Quiet Necrosis—Senile Scrofula—Scarlet Fever after Operations—Notes for the Study of some Constitutional Diseases—Notes—Index.

PEASLEE.

Ovarian Tumors; *Their Pathology, Diagnosis, and Treatment, with Reference especially to Ovariotomy.*

By E. R. PEASLEE, M.D.,

Professor of Diseases of Women in Dartmouth College; one of the Consulting Physicans to the New York State Woman's Hospital; formerly Professor of Obstetrics and Diseases of Women in the New York Medical College; Corresponding Member of the Obstetrical Society of Berlin, etc.

1 vol., 8vo. Illustrated with many Woodcuts, and a Steel Engraving of Dr. E. McDowell, the "Father of Ovariotomy." Price, Cloth, $5.00.

This valuable work, embracing the results of many years of successful experience in the department of which it treats, will prove most acceptable to the entire profession; while the high standing of the author and his knowledge of the subject combine to make the book the best in the language. It is divided into two parts: the first treating of Ovarian Tumors, their anatomy, pathology, diagnosis, and treatment, except by extirpation; the second of Ovariotomy, its history and statistics, and of the operation. Fully illustrated, and abounding with information, the result of a prolonged study of the subject, the work should be in the hands of every physician in the country.

The following are some of the opinions of the press, at home and abroad, of this great work, which has been justly styled, by an eminent critic, "*the most complete medical monograph on a practical subject ever produced in this country.*"

"His opinions upon what others have advised are clearly set forth, and are as interesting and important as are the propositions he has himself to advance; while there are a freshness, a vigor, an authority about his writing, which great practical knowledge alone can confer."—*The Lancet.*

"Both Wells's and Peaslee's works will be received with the respect due to the great reputation and skill of their authors. Both exist not only as masters of their art, but as clear and graceful writers. In either work the student and practitioner will find the fruits of rich experience, of earnest thought, and of steady, well-balanced judgment. As England is proud of Wells, so may America well be proud of Peaslee, and the great world of science may be proud of both."—*British Medical Journal.*

"This is an excellent work, and does great credit to the industry, ability, science, and learning of Dr. Peaslee. Few works issue from the medical press so complete, so exhaustively learned, so imbued with a practical tone, without losing other substantial good qualities."—*Edinburgh Medical Journal.*

"In closing our review of this work, we cannot avoid again expressing our appreciation of the thorough study, the careful and honest statements, and candid spirit, which characterize it. *For the use of the student we should give the preference to Dr. Peaslee's work, not only from its completeness, but from its more methodical arrangement.*"—*American Journal of Medical Sciences.*

PEREIRA.

Dr. Pereira's Elements of Materia

Medica and Therapeutics. Abridged and adapted for the Use of Medical and Pharmaceutical Practitioners and Students, and comprising all the Medicines of the British Pharmacopœia, with such others as are frequently ordered in Prescriptions, or required by the Physician.

EDITED BY ROBERT BENTLEY AND THEOPHILUS REDWOOD.

New Edition. Brought down to 1872. 1 vol., Royal 8vo. Cloth, $7.00; Sheep, $8.00.

Reports. *Bellevue and Charity Hospital Reports for* 1870, *containing Valuable Contributions from*

ISAAC E. TAYLOR, M. D., AUSTIN FLINT, M. D., LEWIS A. SAYER, M. D., WILLIAM A. HAMMOND, M. D., T. GAILLARD THOMAS, M. D., FRANK H. HAMILTON, M. D., and others.

1 vol., 8vo. Cloth, $4.00.

"These institutions are the most important, as regards accommodations for patients and variety of cases treated, of any on this continent, and are surpassed by but few in the world. The gentlemen connected with them are acknowledged to be among the first in their profession, and the volume is an important addition to the professional literature of this country."—*Psychological Journal.*

RICHARDSON.

Diseases of Modern Life.

BY DR. B. W. RICHARDSON, F. R. S.

1 vol., 12mo. $2.00.

PART THE FIRST.—PHENOMENA OF DISEASE, INCIDENTAL AND GENERAL.

Chap. I.—Natural Life to Natural Death. Euthanasia.
" II.—Phenomena of Disease, Classification and Distribution.
" III.—Disease Antecedent to Birth.
" IV.—External Origins and Causes of Disease.
" V.—Phenomena of Disease, from Causes External and Uncontrollable.
" VI.—Phenomena of Disease, from Causes External and Communicable.
" VII.—Phenomena of Disease, incidental to Old Age and Natural Decay.

PART THE SECOND.—PHENOMENA OF DISEASE, INDUCED AND SPECIAL.

Chap. I.—Definition and Classification of Induced Diseases.
" II.—Disease from Worry and Mental Strain (Broken Heart).
" III.—Disease from Worry and Mental Strain, continued (Paralysis).
" IV.—Disease from Physical Strain.
" V.—Disease from Combined Physical and Mental Strain.
" VI.—Disease from the Influence of the Passions.
" VII.—Disease from Alcohol. Physiological Proem.
" VIII.—Phenomena of Disease from Alcohol. The Functional Type.
" IX.—Organic Disease from Alcohol.
" X.—Disease from Tobacco. Physiological Phenomena.
" XI.—Disease from Tobacco, continued (of the Heart and Lungs).
" XII.—Disease from Tobacco, continued (of the Brain and Nervous System).
" XIII.—Disease from the Use of Narcotics (from Opium, Chloral, and Absinthe).
" XIV.—Disease from Misuse of Foods.
" XV.—Disease incident to some Occupations.
" XVI.—Disease from Late Hours and Deficient Sleep.
" XVII.—Disease from Imperfect Supply of Air.
" XVIII.—Disease from Imitation and Moral Contagion.

PART THE THIRD.—SUMMARY OF PRACTICAL APPLICATIONS.

SAYRE.

Lectures on Orthopedic Surgery, and

Diseases of the Joints. Delivered at Bellevue Hospital Medical College during the Winter Session of 1874–1875.

By LEWIS A. SAYRE, M. D.,

Professor of Orthopedic Surgery, Fractures and Dislocations, and Clinical Surgery, in Bellevue Hospital Medical College; Surgeon to Bellevue Hospital; Consulting Surgeon to Charity Hospital; Consulting Surgeon to St. Elizabeth's Hospital; Consulting Surgeon to Northwestern Dispensary; Member of the American Medical Association; Permanent Member of the New York State Medical Society; Fellow of the New York Academy of Medicine; Member of the New York County Medical Society, of the New York Pathological Society, of the Society of Neurology, of the Medico-Legal Society; Honorary Member of the New Brunswick Medical Society; Honorary Member of the Medical Society of Norway; Knight of the Order of Wasa, by His Majesty the King of Sweden, etc., etc.

Illustrated by Numerous Wood-Engravings. 1 vol., 8vo. Cloth, $5.00; Sheep, $6.00.

These lectures are published at the request of medical gentlemen of the highest standing, in different sections of our country, as well as many abroad, who are anxious to have Dr. Sayre's peculiar views and extended experience in this specialty given to the profession in a plain and practical manner. The book contains the substance of his course of lectures delivered at Bellevue Hospital Medical College, as well as many important cases from his note-book, and from the hospital records. He has also added a number of cases before presented by him to the profession in medical journals, or at the different medical societies, which are considered worthy of permanent record.

The work is enriched by beautiful and excellent illustrations, engraved from original drawings and photographs prepared expressly therefor. The author having enjoyed exceptional opportunities for the study and treatment of these diseases, the results of his labors cannot fail to be of inestimable value to every student and practitioner, and of service to suffering humanity.

STEINER.

Compendium of Children's Diseases.

A Hand-book for Practitioners and Students.

By Dr. JOHANN STEINER,

Professor of the Diseases of Children in the University of Prague, and Physician to the Francis-Joseph Hospital for Sick Children.

Translated from the Second German Edition by Lawson Tait, F. R. C. S.,

Surgeon to the Birmingham Hospital for Women; Consulting Surgeon to the West Bromwich Hospital; Lecturer on Physiology at the Midland Institute.

1 vol., 8vo. Cloth, $3.50.

TRANSLATOR'S PREFACE.

Dr. Steiner's book has met with such marked success in Germany that a second edition has already appeared, a circumstance which has delayed the appearance of its English form, in order that I might be able to give his additions and corrections.

In Germany the use of the metric system has not yet entirely superseded the local measures; but it is rapidly doing so, as in England. I have, therefore, rendered all thermometric observations in the Centigrade scale, and all measurements in centi- and millimètres.

I have added as an Appendix the "Rules for Management of Infants" which have been issued by the staff of the Birmingham Sick Children's Hospital, because I think that they have set an example by freely distributing these rules among the poor for which they cannot be sufficiently commended, and which it would be wise for other sick children's hospitals to follow.

I have also added a few notes, chiefly, of course, relating to the surgical ailments of children.

BIRMINGHAM, *October*, 1874. LAWSON TAIT.

STROUD.

The Physical Cause of the Death of

Christ, and its Relations to the Principles and Practice of Christianity.

By WILLIAM STROUD, M. D.

With a Letter on the Subject, by Sir James Y. Simpson, Bart., M. D.

1 vol., 12mo. 422 pp. Cloth, $2.00.

This important and remarkable book is, in its own place, a masterpiece, and will be considered as a standard work for many years to come.

"The principal point insisted on is, that the death of Christ was caused by rupture or laceration of the heart. Sir James Y. Simpson, who had read the author's treatise and various comments on it, expressed himself very positively in favor of the views maintained by Dr. Stroud." —*Psychological Journal.*

SIMPSON.

The Posthumous Works of Sir James

Young Simpson, Bart., M. D. In Three Volumes.

Volume I.—*Selected Obstetrical and Gynæcological Works of Sir James Y. Simpson*, Bart., M. D., D. C. L., late Professor of Midwifery in the University of Edinburgh. Containing the substance of his Lectures on Midwifery. Edited by J. WATT BLACK, A. M., M. D., Member of the Royal College of Physicians, London; Physician-Accoucheur to Charing Cross Hospital, London; and Lecturer on Midwifery and Diseases of Women and Children in the Hospital School of Medicine.

1 vol., 8vo. 852 pp. Cloth, $3.00.

This volume contains all the more important contributions of Sir James Y. Simpson to the study of obstetrics and diseases of Women, with the exception of his clinical lectures on the latter subject, which will shortly appear in a separate volume. This first volume contains many of the papers reprinted from his Obstetric Memoirs and Contributions, and also his Lecture Notes, now published for the first time, containing the substance of the practical part of his course of midwifery. It is a volume of great interest to the profession, and a fitting memorial of its renowned and talented author.

"To many of our readers, doubtless, the chief of the papers it contains are familiar. To others, although probably they may be aware that Sir James Simpson has written on the subjects, the papers themselves will be new and fresh. To the first class we would recommend this edition of Sir James Simpson's works, as a valuable volume of reference; to the latter, as a collection of the works of a great master and improver of his art, the study of which cannot fail to make them better prepared to meet and overcome its difficulties."—*Medical Times and Gazette.*

Volume II.—*Anæsthesia, Hospitalism, etc.* Edited by Sir WALTER SIMPSON, Bart.

1 vol., 8vo. 560 pp. Cloth, $3.00.

"We say of this, as of the first volume, that it should find a place on the table of every practitioner; for, though it is patchwork, each piece may be picked out and studied with pleasure and profit."—*The Lancet (London).*

Volume III.—*The Diseases of Women.* Edited by ALEX. SIMPSON, M. D., Professor of Midwifery in the University of Edinburgh.

1 vol., 8vo. Cloth, $3.00.

One of the best works on the subject extant. Of inestimable value to every physician.

SWETT.

A Treatise on the Diseases of the Chest.

Being a Course of Lectures delivered at the New York Hospital.

By JOHN A. SWETT, M. D.,

Professor of the Institutes and Practice of Medicine in the New York University; Physician to the New York Hospital; Member of the New York Pathological Society.

1 vol., 8vo. 587 pp. $3.50.

Embodied in this volume of lectures is the experience of ten years in hospital and private practice.

SAYRE.

A Practical Manual on the Treatment *of Club-Foot.*

By LEWIS A. SAYRE, M. D.,

Professor of Orthopedic Surgery in Bellevue Hospital Medical College; Surgeon to Bellevue and Charity Hospitals, etc.

1 vol, 12mo. New and Enlarged Edition. Cloth, $1.00.

"The object of this work is to convey, in as concise a manner as possible, all the practical information and instruction necessary to enable the general practitioner to apply that plan of treatment which has been so successful in my own hands."—*Preface.*

"The book will very well satisfy the wants of the majority of general practitioners, for whose use, as stated, it is intended."—*New York Medical Journal.*

SMITH.

On Foods.

By EDWARD SMITH, M. D., LL. B., F. R. S.,

Fellow of the Royal College of Physicians of London, etc., etc.

1 vol., 12mo. Cloth. Price, $1.75.

"Since the issue of the author's work on "Practical Dietary," he has felt the want of another, which would embrace all the generally-known and less-known foods, and contain the latest scientific knowledge respecting them. The present volume is intended to meet this want, and will be found useful for reference, to both scientific and general readers. The author extends the ordinary view of foods, and includes water and air, since they are important both in their food and sanitary aspects.

SCHROEDER.

A Manual of Midwifery. *Including the Pathology of Pregnancy and the Puerperal State.*

By Dr. KARL SCHROEDER,

Professor of Midwifery and Director of the Lying-in Institution in the University of Erlangen.

TRANSLATED FROM THE THIRD GERMAN EDITION

By CHARLES H. CARTER, B. A., M. D., B. S. London,

Member of the Royal College of Physicians, London, and Physician Accoucheur to St. George's, Hanover Square, Dispensary.

With Twenty-six Engravings on Wood. 1 vol., 8vo. Cloth.

"The translator feels that no apology is needed in offering to the profession a translation of Schroeder's Manual of Midwifery. The work is well known in Germany and extensively used as a text-book; it has already reached a third edition within the short space of two years, and it is hoped that the present translation will meet the want, long felt in this country, of a manual of midwifery embracing the latest scientific researches on the subject.

TILT.

A Hand-Book of Uterine Therapeutics *and of Diseases of Women.*

By EDWARD JOHN TILT, M. D.,

Member of the Royal College of Physicians; Consulting Physician to the Farringdon General Dispensary; Fellow of the Royal Medical and Chirurgical Society, and of several British and foreign societies.

1 vol., 8vo. 345 pp. Cloth, $3.50.

Second American edition, thoroughly revised and amended.

"In giving the result of his labors to the profession the author has done a great work. Our readers will find its pages very interesting, and, at the end of their task, will feel grateful to the author for many very valuable suggestions as to the treatment of uterine diseases."—*The Lancet.*

"Dr. Tilt's 'Hand-Book of Uterine Therapeutics' supplies a want which has often been felt. . . It may, therefore, be read not only with pleasure and instruction, but will also be found very useful as a book of reference."—*The Medical Mirror.*

"Second to none on the therapeutics of uterine disease."—*Journal of Obstetrics.*

VAN BUREN AND KEYES.

A Practical Treatise on the Surgical

Diseases of the Genito-Urinary Organs, including Syphilis. Designed as a Manual for Students and Practitioners. With Engravings and Cases.

By W. H. VAN BUREN, A. M., M. D.,

Professor of Principles of Surgery, with Diseases of the Genito-Urinary System and Clinical Surgery, in Bellevue Hospital Medical College; Consulting Surgeon to the New York Hospital, the Charity Hospital, etc.; and

E. L. KEYES, A. M., M. D.,

Professor of Dermatology in Bellevue Hospital Medical College; Surgeon to the Charity Hospital, Venereal Diseases; Consulting Dermatologist to the Bureau of Out-Door Relief, Bellevue Hospital, etc.

1 vol., 8vo. Cloth, $5.00; Sheep, $6.00.

This work is really a compendium of, and a book of reference to, all modern works treating in any way of the surgical diseases of the genito-urinary organs. At the same time, no other single book contains so large an array of *original* facts concerning the class of diseases with which it deals. These facts are largely drawn from the extensive and varied experience of the authors.

Many important branches of genito-urinary diseases, as the cutaneous maladies of the penis and scrotum, receive a thorough and exhaustive treatment that the professional reader will search for elsewhere in vain.

The work is elegantly and profusely illustrated, and enriched by fifty-five original cases, setting forth obscure and difficult points in diagnosis and treatment.

"The first part is devoted to the Surgical Diseases of the Genito-Urinary Organs; and part second treats of Chancroid and Syphilis. The authors 'appear to have succeeded admirably in giving to the world an exhaustive and reliable treatise on this important class of diseases.'"—*Northwestern Medical and Surgical Journal.*

"It is a most complete digest of what has long been known, and of what has been more recently discovered, in the field of syphilitic and genito-urinary disorders. It is perhaps not an exaggeration to say that no single work upon the same subject has yet appeared, in this or any foreign language, which is superior to it."—*Chicago Medical Examiner.*

"The commanding reputation of Dr. Van Buren in this specialty and of the great school and hospital from which he has drawn his clinical materials, together with the general interest which attaches to the subject-matter itself, will, we trust, lead very many of those for whom it is our office to cater, to possess themselves at once of the volume and form their own opinions of its merit."—*Atlanta Medical and Surgical Journal.*

Lectures upon Diseases of the Rectum.

Delivered at the Bellevue Hospital Medical College. Session of 1869–'70.

By W. H. VAN BUREN, M. D.,

1 vol., 12mo. 164 pages. Cloth, $1.50.

"It seems hardly necessary to more than mention the name of the author of this admirable little volume in order to insure the character of his book. No one in this country has enjoyed greater advantages, and had a more extensive field of observation in this specialty, than Dr. Van Buren, and no one has paid the same amount of attention to the subject. . . . Here is the experience of years summed up and given to the professional world in a plain and practical manner."—*Psychological Journal.*

VOGEL.

A Practical Treatise on the Diseases

of Children. Second American from the Fourth German Edition. Illustrated by Six Lithographic Plates.

By ALFRED VOGEL, M. D.,

Professor of Clinical Medicine in the University of Dorpat, Russia.

TRANSLATED AND EDITED BY

H. RAPHAEL, M. D.,

Late House Surgeon to Bellevue Hospital; Physician to the Eastern Dispensary for the Diseases of Children, etc., etc.

1 vol., 8vo. 611 pp. Cloth, $4.50.

The work is well up to the present state of pathological knowledge; complete without unnecessary prolixity; its symptomatology accurate, evidently the result of careful observation of a competent and experienced clinical practitioner. The diagnosis and differential relations of diseases to each other are accurately described, and the therapeutics judicious and discriminating. All polypharmacy is discarded, and only the remedies which appeared useful to the author commended.

It contains much that must gain for it the merited praise of all impartial judges, and prove it to be an invaluable text-book for the student and practitioner, and a safe and useful guide in the difficult but all-important department of Pædiatrica.

"Rapidly passing to a fourth edition in Germany, and translated into three other languages, America now has the credit of presenting the first English version of a book which must take a prominent, if not the leading, position among works devoted to this class of disease."—*N. Y. Medical Journal.*

"The profession of this country are under many obligations to Dr. Raphael for bringing, as he has done, this truly valuable work to their notice."—*Medical Record.*

"The translator has been more than ordinarily successful, and his labors have resulted in what, in every sense, is a valuable contribution to medical science."—*Psychological Journal.*

"We do not know of a compact text-book on the diseases of children more complete, more comprehensive, more replete with practical remarks and scientific facts, more in keeping with the development of modern medicine, and more worthy of the attention of the profession, than that which has been the subject of our remarks."—*Journal of Obstetrics.*

WALTON.

The Mineral Springs of the United States and Canada, with Analyses and Notes on the Prominent Spas of Europe, and a List of Sea-side Resorts. An enlarged and revised edition.

By GEORGE E. WALTON, M. D.,
Lecturer on Materia Medica in the Miami Medical College, Cincinnati.

Second Edition, revised and enlarged. 1 vol., 12mo. 390 pp., with Maps. $2.00.

The author has given the analyses of all the springs in this country and those of the principal European spas, reduced to a uniform standard of one wine-pint, so that they may readily be compared. He has arranged the springs of America and Europe in seven distinct classes, and described the diseases to which mineral waters are adapted, with references to the class of waters applicable to the treatment, and the peculiar characteristics of each spring as near as known are given—also, the location, mode of access, and post-office address of every spring are mentioned. In addition, he has described the various kinds of baths and the appropriate use of them in the treatment of disease.

EXTRACTS FROM OPINIONS OF THE PRESS.

" . . . Precise and comprehensive, presenting not only reliable analyses of the waters, but their therapeutic value, so that physicians can hereafter advise their use as intelligently and beneficially as they can other valuable alterative agents."—*Sanitarian.*

" . . . Will tend to enlighten both the profession and the people on this question."—*N. Y. Medical Journal.*

" . . . Contains in brief space a vast amount of important and interesting matter, well arranged and well presented. Nearly every physician needs just such a volume "—*Richmond and Louisville Medical Journal.*

" . . . Fills this necessity in a scientific and pleasing manner, and can be read with advantage by the physician as well as layman."—*American Jour. of Obstetrics.*

UNIVERSITY OF VIRGINIA, *June* 9, 1873.

GENTLEMEN: I have received by mail a copy of Dr. Walton's work on the Mineral Springs of the United States and Canada. Be pleased to accept my thanks for a work which I have been eagerly looking for ever since I had the pleasure of meeting the author in the summer of 1871. He satisfied me that he was well qualified to write a reliable work on this subject, and I doubt not he has met my expectations. Such a work was greatly needed, and, if offered for sale at the principal mineral springs of the country, will, I believe, command a ready sale. Very respectfully yours,

J. L. CABELL, M. D.

WELLS.

Diseases of the Ovaries; *Their Diagnosis and Treatment.*

By T. SPENCER WELLS,

Fellow and Member of Council of the Royal College of Surgeons of England; Honorary Fellow of the King and Queen's College of Physicians in Ireland; Surgeon in Ordinary to the Queen's Household; Surgeon to the Samaritan Hospital for Women; Member of the Imperial Society of Surgery of Paris, of the Medical Society of Paris, and of the Medical Society of Sweden; Honorary Member of the Royal Society of Medical and Natural Science of Brussels, and of the Medical Societies of Pesth and Helsingfors; Honorary Fellow of the Obstetrical Societies of Berlin and Leipzig.

1 vol., 8vo. 478 pp. Illustrated. Cloth, Price, $4.50.

In 1865 the author issued a volume containing reports of one hundred and fourteen cases of Ovariotomy, which was little more than a simple record of facts. The book was soon out of print, and, though repeatedly asked for a new edition, the author was unable to do more than prepare papers for the Royal Medical and Chirurgical Society, as series after series of a hundred cases accumulated. On the completion of five hundred cases he embodied the results in the present volume, an entirely new work, for the student and practitioner, and trusts it may prove acceptable to them and useful to suffering women.

"Arrangements have been made for the publication of this volume in London on the day of its publication in New York." French and German translations are already in press.

WAGNER.

A Hand-book of Chemical Technology.

By RUDOLPH WAGNER, Ph. D.,

Professor of Chemical Technology at the University of Wurtzburg.

Translated and edited, from the eighth German edition, with extensive additions,

By WILLIAM CROOKES, F. R. S.

With 336 Illustrations. 1 vol., 8vo. 761 pages. Cloth, $5.00.

Under the head of Metallurgic Chemistry, the latest methods of preparing Iron, Cobalt, Nickel, Copper, Copper Salts, Lead and Tin, and their Salts, Bismuth, Zinc, Zinc Salts, Cadmium, Antimony, Arsenic, Mercury, Platinum, Silver, Gold, Manganates, Aluminum, and Magnesium, are described. The various applications of the Voltaic Current to Electro-Metallurgy follow under this division. The preparation of Potash and Soda Salts, the manufacture of Sulphuric Acid, and the recovery of Sulphur from Soda Waste, of course occupy prominent places in the consideration of chemical manufactures. It is difficult to over-estimate the mercantile value of Mond's process, as well as the many new and important applications of Bisulphide of Carbon. The manufacture of Soap will be found to include much detail. The Technology of Glass, Stone-ware, Limes, and Mortars, will present much of interest to the Builder and Engineer. The Technology of Vegetable Fibres has been considered to include the preparation of Flax, Hemp, Cotton, as well as Paper-making; while the applications of Vegetable Products will be found to include Sugar-boiling, Wine and Beer Brewing, the Distillation of Spirits, the Baking of Bread, the Preparation of Vinegar, the Preservation of Wood, etc.

Dr. Wagner gives much information in reference to the production of Potash from Sugar residues. The use of Baryta Salts is also fully described, as well as the preparation of Sugar from Beet-roots. Tanning, the Preservation of Meat, Milk, etc., the Preparation of Phosphorus and Animal Charcoal, are considered as belonging to the Technology of Animal Products. The Preparation of Materials for Dyeing has necessarily required much space; while the final sections of the book have been devoted to the Technology of Heating and Illumination.

THE NEW YORK MEDICAL JOURNAL.

JAMES B. HUNTER, M. D., Editor.

Published Monthly. Volumes begin in January and July.

"Among the numerous records of Medicine and the collateral sciences published in America, the above Journal occupies a high position, and deservedly so."—*The Lancet (London).*

"One of the best medical journals, by-the-by, published on the American Continent."—*London Medical Times and Gazette.*

"A very high-class journal."—*London Medical Mirror.*

"The editor and the contributors rank among our most distinguished medical men, and each number contains matter that does honor to American medical literature."—*Boston Journal of Chemistry.*

"Full of valuable original papers, abounding in scientific ability."—*Chicago Medical Times*

"We know no other periodical that we would rather present as a specimen of American skil and intelligence than the NEW YORK MEDICAL JOURNAL."—*Franklin Repository.*

"The NEW YORK MEDICAL JOURNAL, edited by Dr. James B. Hunter, is one of the sterling periodicals of this country. The present editor has greatly improved the work, and evinces a marked aptitude for the responsible duties so well discharged. The contents of this journal are always interesting and instructive; its original matter is often classic in value, and the selected articles are excellent exponents of the progress and truth of medical science."—*Richmond and Louisville Medical Journal.*

Terms, $4.00 per Annum; or 40 Cents per Number.

THE POPULAR SCIENCE MONTHLY.

Conducted by Prof. E. L. YOUMANS.

Each Number contains 128 pages, with numerous Descriptive and Attractive Illustrations.

Published Monthly. Volumes begin in May and November.

Terms, $5 per Annum, or Fifty Cents per Number

THE POPULAR SCIENCE MONTHLY was started to promote the diffusion of valuable scientific knowledge, in a readable and attractive form, among all classes of the community, and has thus far met a want supplied by no other periodical in the United States.

The great feature of the magazine is, that its contents are not what science *was* ten or more years since, but what it *is* to-day, fresh from the study, the laboratory, and the experiment: clothed in the language of the authors, inventors, and scientists themselves, which comprise the leading minds of England, France, Germany, and the United States. Among popular articles, covering the whole range of NATURAL SCIENCE, we have the latest thoughts and words of Herbert Spencer, and Professors Huxley, Tyndall, and R. A. Proctor. Since the start, it has proved a gratifying success to every friend of scientific progress and universal education; and those who believed that science could not be made any thing but dry study, are disappointed.

The press all over the land is warmly commending it. We subjoin a few encomiums from those recently given:

"A journal which promises to be of eminent value to the cause of popular education in this country."—*New York Tribune.*

"It is, beyond comparison, the best attempt at journalism of the kind ever made in this country."—*Home Journal.*

"The initial number is admirably constituted."—*Evening Mail.*

"In our opinion, the right idea has been happily hit in the plan of this new monthly."—*Buffalo Courier.*

"Just the publication needed at the present day."—*Montreal Gazette.*

Payment, in all cases, must be made in advance.

Remittances should be made by postal money-order or check to the Publishers,

D. APPLETON & CO.,

549 & 551 Broadway, New York.

LANE MEDICAL LIBRARY

To avoid fine, this book should be returned on or before the date last stamped below.


N33 Keyes, E.L. 3074
K43 Tonic treatment of
1877 syphilis
NAME
DATE DUE